


FILTERS FOR PRIVAT POOLS



LAMINATED FILTERS

PAVO series

Filter from polyester resin with glass fibre, complete with internal tubing, inspection windows, drain valve with a reduction to a hose, air-relief valve with pressure gauge, 6-way manual valve - SIDE (filtration, backwash, rinse, recirculate, drain and closed)

- Test pressure: **3,75 bar**
- Max. operation pressure: **2,5 bar**
- Max. operation temperature: **40°C**
- For backwashing with only water

Rabat Group



130001 **PAVO 450**
Capacity: 7,5 m³/h

Weight: 18 kg

Standard lid: F
With transparent lid: F



130008 **PAVO 520**
Capacity: 10 m³/h

Weight: 23 kg

Standard lid: F
With transparent lid: F

130002 **PAVO 610**
Capacity: 14 m³/h

Weight: 29 kg

Standard lid: F
With transparent lid: F

130003 **PAVO 765**
Capacity: 23 m³/h

Weight: 45 kg

Standard lid: F
With transparent lid: F

130004 **PAVO 910**
Capacity: 33 m³/h


Weight: 55 kg

Standard lid: F
With transparent lid: F



◀ transparent lid

CODE KÓD KODE	TYPE TYP TYP	DIMENSIONS / ROZMĚRY / DIMENSIONEN [mm]					
		A	B	C	D	E	F
130001	Ø450	755	450	625	1½"	152	392
130008	Ø520	810	520	680	1½"	152	442
130002	Ø610	820	610	690	1½"	152	427
130003	Ø765	875	765	745	2"	145	495
130004	Ø910	930	910	800	2"	145	480



CODE KÓD KODE	TYPE TYP TYP	DIAMETER PRŮMĚR DURCHMESSER	FILTER HEIGHT VÝŠKA FILTRU FILTERHÖHE	CONNECTION PŘÍPOJENÍ ANSCHLUSS	CAPACITY VÝKON DURCHFLOß	FILTER CHARGE FILTRAČNÍ NÁPLŇ SANDFÜLLUNG	WEIGHT HMOTNOST GEWICHT
130001	Ø450	450 mm	755 mm	1½"	7,5 m ³ /h	70 kg	18 kg
130008	Ø520	520 mm	810 mm	1½"	10 m ³ /h	100 kg	23 kg
130002	Ø610	610 mm	820 mm	1½"	14 m ³ /h	125 kg	29 kg
130003	Ø765	765 mm	875 mm	2"	23 m ³ /h	225 kg	45 kg
130004	Ø910	910 mm	930 mm	2"	33 m ³ /h	325 kg	55 kg

CORVUS series

Filter from polyester resin with glass fibre, complete with internal tubing, inspection windows, drain valve with a reduction to a hose, air drain cock, 6-way manual valve - SIDE (filtration, backwash, rinse, recirculate, drain and closed)

Standard with transparent flat lid.

- Test pressure: **3,75 bar**
- Max. operation pressure: **2,5 bar**
- Max. operation temperature: **40°C**
- For backwashing with only water

Rabat Group



130015 **CORVUS 520**
Capacity: 10 m³/h

Weight: 18 kg

F



130016 **CORVUS 640**
Capacity: 15 m³/h

Weight: 23 kg

F



130017 **CORVUS 720**
Capacity: 20 m³/h

Weight: 30 kg

F




130018 **CORVUS 840**
Capacity: 28 m³/h

Weight: 38 kg

F

◀ standard with transparent flat lid

CODE KOD KODE	TYPE TYP TYP	DIMENSIONS / ROZMĚRY / DIMENSIONEN [mm]					
		A	B	C	D	E	F
130015	Ø520	760	520	670	1½"	120	550
130016	Ø640	810	640	720	1½"	120	575
130017	Ø720	930	720	840	2"	145	700
130018	Ø840	990	840	900	2"	145	725



CODE KOD KODE	TYPE TYP TYP	DIAMETER PRŮMĚR DURCHMESSER	FILTER HEIGHT VÝŠKA FILTRU FILTERHÖHE	CONNECTION PŘIPOJENÍ ANSCHLUSS	CAPACITY VÝKON DURCHFLOß	FILTER CHARGE FILTRAČNÍ NÁPLŇ SANDFÜLLUNG	WEIGHT HMOTNOST GEWICHT
130015	Ø520	520 mm	760 mm	1½"	10 m ³ /h	100 kg	18 kg
130016	Ø640	640 mm	810 mm	1½"	15 m ³ /h	125 kg	23 kg
130017	Ø720	720 mm	930 mm	2"	20 m ³ /h	175 kg	30 kg
130018	Ø840	840 mm	990 mm	2"	28 m ³ /h	225 kg	38 kg

COLUMBA series

Filter from polyester resin with glass fibre, complete with internal tubing, inspection windows, drain valve with a reduction to a hose, air-relief valve with pressure gauge, 6-way manual valve (filtration, backwash, rinse, recirculate, drain and closed)

- Test pressure: **3,75 bar**
- Max. operation pressure: **2,5 bar**
- Max. operation temperature: **40°C**
- For backwashing with only water



130022 **COLUMBA 520**
Capacity: 10 m³/h

Weight: 16 kg

Standard lid: F
With transparent lid: F



130023 **COLUMBA 640**
Capacity: 15 m³/h

Weight: 21 kg

Standard lid: F
With transparent lid: F



130024 **COLUMBA 760**
Capacity: 22 m³/h

Weight: 32 kg


Standard lid: F
With transparent lid: F



◀ transparent lid

**Rabat
Group**

CODE KÓD CODE	TYPE TYP TYP	DIMENSIONS / ROZMĚRY / DIMENSIONEN [mm]					
		A	B	C	D	E	F
130022	Ø520	770	520	640	1½"	152	427
130023	Ø640	880	640	750	1½"	152	452
130024	Ø760	940	760	810	2"	145	515



CODE KÓD CODE	TYPE TYP TYP	DIAMETER PRŮMĚR DURCHMESSER	FILTER HEIGHT VÝŠKA FILTRU FILTERHÖHE	CONNECTION PŘIPOJENÍ ANSCHLUSS	CAPACITY VÝKON DURCHFLUSS	FILTER CHARGE FILTRAČNÍ NAPLNĚNÍ SANDFÜLLUNG	WEIGHT HMOTNOST GEWICHT
130022	Ø520	520 mm	770 mm	1½"	10 m ³ /h	75 kg	16 kg
130023	Ø640	640 mm	880 mm	1½"	15 m ³ /h	100 kg	21 kg
130024	Ø760	760 mm	940 mm	2"	22 m ³ /h	175 kg	32 kg

CYGNUS series

Filter from polyester resin with glass fibre, complete with internal tubing, inspection windows, drain valve with a reduction to a hose, air-relief valve with pressure gauge, 6-way manual valve (filtration, backwash, rinse, recirculate, drain and closed)

- Test pressure: **3,75 bar**
- Max. operation pressure: **2,5 bar**
- Max. operation temperature: **40°C**
- For backwashing with only water



130019 **CYGNUS 520**
Capacity: 10 m³/h

Weight: 18 kg

Rabat Group

Standard lid: F
With transparent lid: F



130020 **CYGNUS 640**
Capacity: 15 m³/h

Weight: 23 kg

Standard lid: F
With transparent lid: F



130021 **CYGNUS 760**
Capacity: 22 m³/h

Weight: 34 kg

Standard lid: F
With transparent lid: F




130026 **CYGNUS 900**
Capacity: 33 m³/h

Weight: 48 kg

Standard lid: F
With transparent lid: F

◀ transparent lid

CODE KÓD CODE	TYPE TYP TYP	DIMENSIONS / ROZMĚRY / DIMENSIONEN [mm]					
		A	B	C	D	E	F
130019	Ø520	870	520	740	1½"	152	427
130020	Ø640	970	640	840	1½"	152	452
130021	Ø760	1105	760	975	2"	145	515
130026	Ø900	1110	900	980	2"	145	450



CODE KÓD CODE	TYPE TYP TYP	DIAMETER PRŮMĚR DURCHMESSER	FILTER HEIGHT VÝŠKA FILTRU FILTERHÖHE	CONNECTION PŘIPOJENÍ ANSCHLUSS	CAPACITY VÝKON DURCHFLUSS	FILTER CHARGE FILTRAČNÍ NÁPLŇ SANDFÜLLUNG	WEIGHT HMOTNOST GEWICHT
130019	Ø520	520 mm	870 mm	1½"	10 m ³ /h	100 kg	18 kg
130020	Ø640	640 mm	970 mm	1½"	15 m ³ /h	150 kg	23 kg
130021	Ø760	760 mm	1105 mm	2"	22 m ³ /h	225 kg	34 kg
130026	Ø900	900 mm	1110 mm	2"	33 m ³ /h	325 kg	48 kg

Multi-bed filter

VIRGO series

Filter from polyester resin with glass fibre, complete with internal tubing, 2 inspection windows, drain valve with a reduction to a hose, air-relief valve with pressure gauge, 6-way manual valve (filtration, backwash, rinse, recirculate, drain and closed)

- Test pressure: **3,75 bar**
- Max. operation pressure: **2,5 bar**
- Max. operation temperature: **40°C**
- For backwashing with only water
- Top and side inspection windows

**Rabat
Group**



130005 **VIRGO 610**
Capacity: 14 m³/h

Weight: 45 kg

D

130006 **VIRGO 765**
Capacity: 23 m³/h

Weight: 60 kg

D


130007 **VIRGO 910**
Capacity: 33 m³/h

Weight: 75 kg

D



CODE KÓD CODE	TYPE TYP TYP	DIMENSIONS / ROZMĚRY / DIMENSIONEN [mm]						
		A	B	C	D	E	F	G
130005	Ø610	1430	610	1300	1½"	152	717	65°
130006	Ø765	1555	765	1425	2"	230	875	60°
130007	Ø910	1600	910	1470	2"	230	880	60°



CODE KÓD CODE	TYPE TYP TYP	DIAMETER PRŮMĚR DURCHMESSER	FILTER HEIGHT VÝŠKA FILTRU FILTERHÖHE	CONNECTION PŘIPOJENÍ ANSCHLUSS	CAPACITY VÝKON DURCHFLUSS	FILTER CHARGE FILTRAČNÍ NÁPLŇ SANDFÜLLUNG	WEIGHT HMOTNOST GEWICHT
130005	Ø610	610 mm	1430 mm	1½"	14 m³/h	375 kg	45 kg
130006	Ø765	765 mm	1555 mm	2"	23 m³/h	500 kg	60 kg
130007	Ø910	910 mm	1600 mm	2"	33 m³/h	850 kg	75 kg

BLOWED FILTERS

LYRA series

Blow moulded filter made of High Density Polyethylene (HDPE). Fitted with arm collectors arms and diffuser made of PVC. Equipped with a pressure gauge and a manual air bleed tap and a manual water drain plug. 6-way valves.


- Test pressure: **3,0 bar**
- Max. operation pressure: **2,0 bar**
- Max. operation temperature: **40°C**
- Made of **HDPE**

TOP - mounted 6-way valve



160080	LYRA-T 400	Capacity: 6 m ³ /h
160081	LYRA-T 450	Capacity: 8 m ³ /h
160082	LYRA-T 500	Capacity: 10 m ³ /h
160083	LYRA-T 600	Capacity: 14 m ³ /h

Rabat
Group




CODE KÓD KODE	TYPE TYP TYP	CAPACITY VÝKON DURCHFLOß	CONNECTION PŘÍPOJENÍ ANSCHLUß	DIMENSIONS / ROZMĚRY / DIMENSIONEN [mm]					FILTER CHARGE FILTRAČNÍ NÁPLŇ SANDFÜLLUNG
				Ø	A	H	M	N	
160080	Ø400	6,0 m ³ /h	G 1½"	400	340	825	660	595	50 kg
160081	Ø450	8,0 m ³ /h	G 1½"	450	340	870	705	645	70 kg
160082	Ø500	10,0 m ³ /h	G 1½"	500	430	915	750	680	100 kg
160083	Ø600	14,0 m ³ /h	G 1½"	600	430	1015	850	790	200 kg

SIDE - mounted 6-way valve



160084	LYRA-S 400	Capacity: 6 m ³ /h
160085	LYRA-S 450	Capacity: 8 m ³ /h
160086	LYRA-S 500	Capacity: 10 m ³ /h
160087	LYRA-S 600	Capacity: 14 m ³ /h


Rabat
Group



CODE KÓD KODE	TYPE TYP TYP	CAPACITY VÝKON DURCHFLOß	CONNECTION PŘÍPOJENÍ ANSCHLUß	DIMENSIONS / ROZMĚRY / DIMENSIONEN [mm]					FILTER CHARGE FILTRAČNÍ NÁPLŇ SANDFÜLLUNG
				Ø	A	H	M	N	
160084	Ø400	6,0 m ³ /h	G 1½"	400	340	610	360	235	50 kg
160085	Ø450	8,0 m ³ /h	G 1½"	450	340	655	355	230	70 kg
160086	Ø500	10,0 m ³ /h	G 1½"	500	430	700	365	240	100 kg
160087	Ø600	14,0 m ³ /h	G 1½"	600	430	800	415	290	200 kg


LIST OF SPARE PARTS

FOR FILTERS PAVO, COLUMBA, CYGNUS SERIES



POZ	PCS	NAME	CODE	BRUTO PRICE/1 PCS	RABAT GROUP
1	1	AIR RELIEF VALVE 1/4" + O-RING 18x2,65	440001	15,50 €	A
3	8	CAP M8/s13	440003	0,35 €	A
4	8	NUT M8 - DIN 934 A2	440004	0,19 €	A
5	8	WASHER Ø8,4 - DIN 125 A2	440005	0,08 €	A
6	1	INSPECTION LID d300 nr. 180003 WITH G1/4"	440106	34,10 €	A
7	1	O-RING 205x8 NBR 70Sh	440107	5,56 €	A
8	1	DIFUSSER d50 nr. 180098-50	440108	6,69 €	A
9	1	PVC TUBE 50x2,4 PN10	440109	2,34 €	A
10	1	ELBOW-MIX 90° - d50-1½"	440010	4,25 €	A
11	1	ADAPTOR SOCKET WITH EXT. THREAD d50-1½"	440011	1,50 €	A
12	1	PVC TUBE 50x2,4 PN10	440112	2,34 €	A
13	2	ADAPTOR SOCKET WITH INT. THREAD d63-2"	440036	3,37 €	A
14	2	CLAMPING RING 61,5x75,5x8	440037	1,02 €	A
15	2	GASKET EPDM 80x59x5	440039	1,20 €	A
16	2	O-RING 66,04x5,33 NBR 70Sh	440016	0,81 €	A
17	2	WALL CUTOUT 2" nr. 180099	440138	6,36 €	A
18	1	CONNECTIVE SET FOR 6-WV PRAHER SM10 - 1½"	440118	22,80 €	A
19	1	6-WAY VALVE PRAHER SM10	440119	59,60 €	A
22	1	AIR GAUGE INFINITY MAX. 4bar	440022	10,60 €	A
24	1	PVC TUBE 50x2,4 PN10	440124	2,34 €	A
25	1	ELBOW 90° - d50	440025	1,93 €	A
26	1	PVC TUBE 50x2,4 PN10	440126	2,34 €	A
27	6	JET A4-0,25-113 *	440027-113	2,65 €	A
		JET A4-0,25-185 **	440027-185	3,97 €	A
28	1	SEPARATOR MSS6	440028	8,89 €	A
29	1	DRAIN VALVE EH-0,2	440029	6,89 €	A
30	1	SPRAY NOZZLE ES10-0,2-8	440130	1,77 €	A
31	1	AIR TUBE PP 8/6	440050	1,40 €	A
32	2	REDUCING SOCKET - SHORT d63-d50	440051	1,16 €	A


* FOR FILTERS Ø450, Ø520; ** FOR FILTERS Ø610, Ø640



POZ	PCS	NAME	CODE	BRUTO PRICE/1	RABATG
				PCS	ROUP
1	1	AIR RELIEF VALVE 1/4" + O-RING 18x2,65	440001	15,50 €	A
3	8	CAP M8/s13	440003	0,35 €	A
4	8	NUT M8 - DIN 934 A2	440004	0,19 €	A
5	8	WASHER Ø8,4 - DIN 125 A2	440005	0,08 €	A
6	1	INSPECTION LID d300 nr. 180003 WITH G1/4"	440106	34,10 €	A
7	1	O-RING 205x8 NBR 70Sh	440107	5,56 €	A
8	1	DIFUSER d63/d75 nr. 180098-63/75	440131	6,88 €	A
9	1	PVC TUBE 63x2,4 PN10	440032	3,28 €	A
10	1	ELBOW-MIX 90° - d63-2"	440033	4,71 €	A
11	1	ADAPTOR SOCKET WITH EXT. THREAD d63-2"	440034	2,83 €	A
12	1	PVC TUBE 63x2,4 PN10	440035	3,28 €	A
13	2	ADAPTOR SOCKET WITH INT. THREAD d63-2"	440036	3,37 €	A
14	2	CLAMPING RING 61,5x75,5x8	440037	1,02 €	A
15	2	GASKET EPDM 80x59x5	440039	1,20 €	A
16	2	O-RING 66,04x5,33 NBR 70Sh	440016	0,81 €	A
17	2	WALL CUTOUT 2" nr. 180099	440138	6,36 €	A
18	1	CONNECTIVE SET FOR 6-WV PRAHER SM20	440218	33,20 €	A
19	1	6-WAY VALVE PRAHER SM20 - 2"	440141	92,40 €	A
22	1	AIR GAUGE INFINITY MAX. 4bar	440022	10,60 €	A
24	1	PVC TUBE 63x2,4 PN10	440042	3,28 €	A
25	1	ELBOW 90° - d63	440043	3,42 €	A
26	1	PVC TUBE 63x2,4 PN10	440044	3,28 €	A
27	8	JET A4-0,25-240 *	440045-240	6,08 €	A
		JET A4-0,25-312 **	440045-312	7,23 €	A
28	1	SEPARATOR MSS8	440046	17,86 €	A
29	1	DRAIN VALVE EH-0,2	440029	6,89 €	A
30	1	SPRAY NOZZLE ES10-0,2-8	440130	1,77 €	A
31	1	AIR TUBE PP 8/6	440050	1,40 €	A


* FOR FILTERS Ø760, Ø765; ** FOR FILTERS Ø910, Ø900

FOR FILTERS CORVUS SERIES



POZ	PCS	NAME	CODE	BRUTO PRICE/1		RABATG
				PCS	ROUP	
1	1	AIR RELIEF VALVE 1/4" + O-RING 18x2,65	440001	15,50 €	A	
3	8	CAP M8/s13	440003	0,35 €	A	
4	8	NUT M8 - DIN 934 A2	440004	0,19 €	A	
5	8	WASHER Ø8,4 - DIN 9021 A2	440005	0,08 €	A	
6	1	INSPECTION LID d246 nr. 180004 WITH G1/4"	440060	67,95 €	A	
7	1	O-RING 200x5 NBR 70Sh	440061	3,33 €	A	
8	1	DIFUSSER BCK d50 (BLACK ABS)	440073	9,35 €	A	
9	1	PVC TUBE 50x2,4 PN10	440109	2,34 €	A	
10	1	ELBOW-MIX 90° - d50-1 1/2"	440010	4,25 €	A	
11	1	ADAPTOR SOCKET WITH EXT. THREAD d50-1 1/2"	440011	1,50 €	A	
12	1	PVC TUBE 50x2,4 PN10	440112	2,34 €	A	
13	2	ADAPTOR SOCKET WITH INT. THREAD d63-2"	440036	3,37 €	A	
14	2	CLAMPING RING 61,5x75,5x8	440037	1,02 €	A	
15	2	GASKET EPDM 80x59x5	440039	1,20 €	A	
16	2	O-RING 66,04x5,33 NBR 70Sh	440016	0,81 €	A	
17	2	WALL CUTOUT 2" nr. 180099	440138	6,36 €	A	
18	1	CONNECTIVE SET FOR 6-WV PRAHER SM10 - 1 1/2"	440120	22,80 €	A	
19	1	6-WAY VALVE PRAHER SM10	440119	59,60 €	A	
22	1	AIR GAUGE INFINITY MAX. 4bar	440022	10,60 €	A	
24	1	PVC TUBE 50x2,4 PN10	440124	2,34 €	A	
25	1	ELBOW 90° - d50	440025	1,93 €	A	
26	1	PVC TUBE 50x2,4 PN10	440126	2,34 €	A	
27	6	JET A4-0,25-113 *	440027-113	2,65 €	A	
		JET A4-0,25-185 **	440027-185	3,97 €	A	
28	1	SEPARATOR MSS6	440028	8,89 €	A	
29	1	DRAIN VALVE EH-0,2	440029	6,89 €	A	
31	1	AIR TUBE PP 8/6	440050	1,40 €	A	
32	2	REDUCING SOCKET - SHORT d63-d50	440051	1,16 €	A	


* FOR FILTERS Ø520; ** FOR FILTERS Ø640



POZ	PCS	NAME	CODE	BRUTO PRICE/1		RABATG
				PCS	ROUP	
1	1	AIR RELIEF VALVE 1/4" + O-RING 18x2,65	440001	15,50 €	A	
3	8	CAP M8/s13	440003	0,35 €	A	
4	8	NUT M8 - DIN 934 A2	440004	0,19 €	A	
5	8	WASHER Ø8,4 - DIN 9021 A2	440005	0,08 €	A	
6	1	INSPECTION LID d246 nr. 180004 WITH G1/4"	440060	67,95 €	A	
7	1	O-RING 200x5 NBR 70Sh	440061	3,33 €	A	
8	1	DIFUSSER BCK d50 (BLACK ABS)	440073	9,35 €	A	
9	1	PVC TUBE 50x2,4 PN10	440109	2,34 €	A	
10	1	ELBOW-MIX 90° - d63-2"	440033	4,71 €	A	
11	1	ADAPTOR SOCKET WITH EXT. THREAD d63-2"	440034	2,83 €	A	
12	1	PVC TUBE 63x2,4 PN10	440035	3,28 €	A	
13	2	ADAPTOR SOCKET WITH INT. THREAD d63-2"	440036	3,37 €	A	
14	2	CLAMPING RING 61,5x75,5x8	440037	1,02 €	A	
15	2	GASKET EPDM 80x59x5	440039	1,20 €	A	
16	2	O-RING 66,04x5,33 NBR 70Sh	440016	0,81 €	A	
17	2	WALL CUTOUT 2" nr. 180099	440138	6,36 €	A	
18	1	CONNECTIVE SET FOR 6-WV PRAHER SM20	440218	33,20 €	A	
19	1	6-WAY VALVE PRAHER SM20 - 2"	440141	92,40 €	A	
22	1	AIR GAUGE INFINITY MAX. 4bar	440022	10,60 €	A	
24	1	PVC TUBE 63x2,4 PN10	440042	3,28 €	A	
25	1	ELBOW 90° - d63	440043	3,42 €	A	
26	1	PVC TUBE 63x2,4 PN10	440044	3,28 €	A	
27	8	JET A4-0,25-240 *	440045-240	6,08 €	A	
		JET A4-0,25-312 **	440045-312	7,23 €	A	
28	1	SEPARATOR MSS8	440046	17,86 €	A	
29	1	DRAIN VALVE EH-0,2	440029	6,89 €	A	
31	1	AIR TUBE PP 8/6	440050	1,40 €	A	
32	1	REDUCING SOCKET - SHORT d63-d50	440051	1,16 €	A	

* FOR FILTERS Ø720; ** FOR FILTERS Ø840

FOR FILTERS VIRGO SERIES




POZ	PCS	NAME	CODE	BRUTO PRICE/1		RABATG
				PCS	ROUP	
1	1	AIR RELIEF VALVE 1/4" + O-RING 18x2,65	440001	15,50 €	A	
3	16	CAP M8/s13	440003	0,35 €	A	
4	16	NUT M8 - DIN 934 A2	440004	0,19 €	A	
5	16	WASHER Ø8,4 - DIN 125 A2	440005	0,08 €	A	
6	1	INSPECTION LID d300 nr. 180003 WITH G1/4"	440106	34,10 €	A	
7	2	O-RING 205x8 NBR 70Sh	440107	5,56 €	A	
8	1	DIFUSSER d50 nr. 180098-50	440108	6,69 €	A	
9	1	PVC TUBE 50x2,4 PN10	440109	2,34 €	A	
10	1	ELBOW-MIX 90° - d50-1 1/2"	440010	4,25 €	A	
11	1	ADAPTOR SOCKET WITH EXT. THREAD d50-1 1/2"	440011	1,50 €	A	
12	1	PVC TUBE 50x2,4 PN10	440112	2,34 €	A	
13	2	ADAPTOR SOCKET WITH INT. THREAD d63-2"	440036	3,37 €	A	
14	2	CLAMPING RING 61,5x75,5x8	440037	1,02 €	A	
15	2	GASKET EPDM 80x59x5	440039	1,20 €	A	
16	2	O-RING 66,04x5,33 NBR 70Sh	440016	0,81 €	A	
17	2	WALL CUTOUT 2" nr. 180099	440138	6,36 €	A	
18	1	CONNECTIVE SET FOR 6-WV PRAHER SM10 - 1 1/2"	440118	22,80 €	A	
19	1	6-WAY VALVE PRAHER SM10	440119	59,60 €	A	
22	1	AIR GAUGE INFINITY MAX. 4bar	440022	10,60 €	A	
24	1	PVC TUBE 50x2,4 PN10	440124	2,34 €	A	
25	1	ELBOW 90° - d50	440025	1,93 €	A	
26	1	PVC TUBE 50x2,4 PN10	440126	2,34 €	A	
27	6	JET A4-0,25-185	440027-185	3,97 €	A	
28	1	SEPARATOR MSS6	440028	8,89 €	A	
29	1	DRAIN VALVE ED-0,2	440066	7,48 €	A	
30	1	SPRAY NOZZLE ES10-0,2-8	440130	1,77 €	A	
31	1	AIR TUBE PP 8/6	440050	1,40 €	A	
32	2	REDUCING SOCKET - SHORT d63-d50	440051	1,16 €	A	
33	1	INSPECTION LID d300 nr. 180003	440202	32,10 €	A	



POZ	PCS	NAME	CODE	BRUTO PRICE /1 PCS	RABATG ROUP
1	1	AIR RELIEF VALVE 1/4" + O-RING 18x2,65	440001	15,50 €	A
3	16	CAP M8/s13	440003	0,35 €	A
4	16	NUT M8 - DIN 934 A2	440004	0,19 €	A
5	16	WASHER Ø8,4 - DIN 125 A2	440005	0,08 €	A
6	1	INSPECTION LID d300 nr. 180003 WITH G1/4"	440106	34,10 €	A
7	2	O-RING 205x8 NBR 70Sh	440107	5,56 €	A
8	1	DIFUSSER d63/d75 nr. 180098-63/75	440131	6,88 €	A
9	1	PVC TUBE 63x2,4 PN10	440032	3,28 €	A
10	1	ELBOW-MIX 90° - d63-2"	440033	4,71 €	A
11	1	ADAPTOR SOCKET WITH EXT. THREAD d63-2"	440034	2,83 €	A
12	1	PVC TUBE 63x2,4 PN10	440035	3,28 €	A
13	2	ADAPTOR SOCKET WITH INT. THREAD d63-2"	440036	3,37 €	A
14	2	CLAMPING RING 61,5x75,5x8	440037	1,02 €	A
15	2	GASKET EPDM 80x59x5	440039	1,20 €	A
16	2	O-RING 66,04x5,33 NBR 70Sh	440016	0,81 €	A
17	2	WALL CUTOUT 2" nr. 180099	440138	6,36 €	A
18	1	CONNECTIVE SET FOR 6-WV PRAHER SM20	440219	30,55 €	A
19	1	6-WAY VALVE PRAHER SM20 - 2"	440141	92,40 €	A
22	1	AIR GAUGE INFINITY MAX. 4bar	440022	10,60 €	A
24	1	PVC TUBE 63x2,4 PN10	440042	3,28 €	A
25	1	ELBOW 90° - d63	440043	3,42 €	A
26	1	PVC TUBE 63x2,4 PN10	440044	3,28 €	A
27	8	JET A4-0,25-240 *	440045-240	6,08 €	A
		JET A4-0,25-312 **	440045-312	7,23 €	A
28	1	SEPARATOR MSS8	440046	17,86 €	A
29	1	DRAIN VALVE ED-0,2	440066	7,48 €	A
30	1	SPRAY NOZZLE ES10-0,2-8	440130	1,40 €	A
31	1	AIR TUBE PP 8/6	440050	1,16 €	A
33	1	INSPECTION LID d300 nr. 180003	440202	32,10 €	A

* FOR FILTERS Ø765; ** FOR FILTERS Ø910

INFO TO ORDER SPARE PARTS



- Please let us know serial number, filter type and diameter by issue of an order!
- Bitte bei den Bestellung der Ersatzteile Seriennummer, Durchmesser und Filtertype angeben!
- Prosím uveďte v objednávce typ, průměr a sériové číslo filtru na který objednáváte náhradní díly (viz. příklad v červeném rámečku)!

