

SWIMMING POOL ATTRACTION



COUNTER CURRENT - PLASTICS

JET VAG series

New high flow nozzle with d42 mm instead of 35 mm, allowing greater flow. Exceptional swimming effect and performance. Patented air and water flow rate management system on the central nozzle.

- Transform your swimming pool into an olympic pool.
- Improve your swimming by battling against the rushing JETVAG current.
- Enjoy water which is invigorating and oxygenated.
- JET VAG can be fitted in any type of swimming pool. When construction starts do not forget to make allowance for it in the structure. Afterwards will be too late !



▼ sealing part Ø63



▼ sealing part Ø90



▼ sealing part new



		Pipe size [mm]	Flow [m³/h]	Rabat Group
800020	JET VAG 2 HP MONO	Ø63	60	A
800021	JET VAG 3 HP MONO	Ø63	70	A
800022	JET VAG 4 HP TRI	Ø63	80	A
800023	JET VAG 3 HP MONO	Ø90	70	A
800024	JET VAG 4 HP TRI	Ø90	80	A

The kit comprises two packages, sold together or separately:

- Ø63 or Ø90 sealing part with valves
- Additional d63 or d90 sealing part with pump (2,3 or 4 HP, mono or TRI), front plate, electric box, unions and pneumatic control
- Remote control

507721	Sealing part Ø63		A
507722	Sealing part Ø90		A
800010	Sealing part Ø63 - NEW		A
800011	Sealing part Ø90 - NEW		A

		Pipe size [mm]	Flow [m³/h]	Rabat Group
800040	Addition to JET VAG 2 HP	Ø63	60	A
800041	Addition to JET VAG 3 HP	Ø63	70	A
800042	Addition to JET VAG 4 HP	Ø63	80	A

LUM JET VAG series

More than an NCC: integration of a remotely-controlled new-design multicolour LED lighting system in the front plate (remote control supplied) Also comes with the new high-flow d42 mm nozzle. Patented system.

- 2 for 1: NCC + lighting with the possibility of adding an optional water jet and/or a massage kit. Optimise your investment/purchase with maximum use.

This products can be either:

- A counter-current swimming system
- A multi-colour LED lighting with remote control
- A water jet (option)
- A masage kit (option)



			Pipe size [mm]	Flow [m³/h]	Rabat Group
800050	LUM JET VAG 2 HP MONO		Ø63	60	A
800051	LUM JET VAG 3 HP MONO		Ø63	70	A
800052	LUM JET VAG 4 HP TRI		Ø63	80	A
800053	LUM JET VAG 3 HP MONO		Ø90	70	A
800054	LUM JET VAG 4 HP TRI		Ø90	80	A

The kit comprises two packages, sold together or separately:

- Ø63 or Ø90 sealing part with valves
- Additional d63 or d90 sealing part with pump (2,3 or 4 HP, mono or TRI), front plate, electric box, unions and penumatic control
- Remonte control

507721	Sealing part Ø63				A
507722	Sealing part Ø90				A
800010	Sealing part Ø63 - NEW				A
800011	Sealing part Ø90 - NEW				A

		Pipe size [mm]	Flow [m³/h]	Rabat Group
800070	Add. to LUM JET VAG 2 HP	Ø63	60	A
800071	Add. to LUM JET VAG 3 HP	Ø63	70	A
800072	Add. to LUM JET VAG 4 HP	Ø63	80	A

JET VAG FRONT PLATE REPLACEMENT KIT USING LUM JET VAG LUM VAG replacement kit

800080					A
--------	--	--	--	--	---

Composition of kits:

- LUM JET VAG front plate
- d42 mm nozzle
- specific control console
- remote control
- user manual
- simple and rapid installation



ACCESSORIES FOR JET VAG, LUM JET VAG



50779 **Single BS nozzle**

Rabat Group

A



6438 **Push button**

A

1509984 **Electric box Mono 6/10 A**

A

1509983 **Electric box Mono 10/16 A**

A

1509982 **Electric box TRI 6/10 A**

A

JETSTREAM - IN BUILT PARTS

- Without pump



7300211 **JETSTREAM in built parts**
 ■ Front plate, niche, PVC set

Rabat Group

A

7300212 **JETSTREAM in built parts**
 ■ Front plate, niche

A

JETSTREAM series

- The JETSTREAM swim jet equipment, easy to install in your pool.
- Allows you to swim in front of it without moving.
- Its nozzle system provides easier water and air regulation from inside the pool.
- Also, it can be oriented in the direction you choose, giving you a relaxing bubble bath.
- In its design and construction maximum safety measures have been held in mind, using materials that can not corrode.




For concrete pool

		Power	Phase	Voltage	Flow [m³/h]	Rabat Group
730010	JETSTREAM 2,5	2,30 kW	MONO	230V/50Hz	40	A
730011	JETSTREAM 2,5	2,30 kW	TRI	380V/50Hz	40	A
730012	JETSTREAM 3,0	2,76 kW	TRI	380V/50Hz	45	A
730013	JETSTREAM 3,5	2,26 kW	TRI	380V/50Hz	70	A
730014	JETSTREAM 4,5	2,04 kW	TRI	380V/50Hz	78	A
730015	JETSTREAM 5,0	2,71 kW	TRI	380V/50Hz	88	A



For liner pool


		Power	Phase	Voltage	Flow [m³/h]	Rabat Group
730016	JETSTREAM 2,5	2,30 kW	MONO	230V/50Hz	40	A
730017	JETSTREAM 2,5	2,30 kW	TRI	380V/50Hz	40	A
730018	JETSTREAM 3,0	2,76 kW	TRI	380V/50Hz	45	A
730019	JETSTREAM 3,5	2,26 kW	TRI	380V/50Hz	70	A
730020	JETSTREAM 4,5	2,04 kW	TRI	380V/50Hz	78	A
730021	JETSTREAM 5,0	2,71 kW	TRI	380V/50Hz	88	A



COUNTER CURRENT - BRONZE

TAIFUN-DUO

- Counter-current-systems for all kind of pools
- All visible parts out of stainless-steel V4 A
- All functions can be done from the pool
- Made of gun metal
- Three-phase-current 230/400 V - 50 Hz
- Power rating: **2,6 kW**
- Input 3,4 kW / 5,8 A
- **Flow rate 1050 liter/min. at 1,0 bar**



7613050 **TAIFUN-DUO built-in set**

- Mounting depth 240 mm

Rabat Group

G

7640020 **Completion set TAIFUN-DUO**

- Bronze pump 2,6 kW
- Control
- Set of connection fittings
- Mask made of stainless steel V4 A

G

ACCESSORIES TO THE BUILT-IN SET TAIFUN-DUO



7980050 **Flange set**

Rabat Group

G

7925050 **17 cm extension of the built-in set**

G

7935050 **Set of elbows - 45° 2 1/2"**

G

7945050 **Set of elbows - 90° 2 1/2"**

G

7950000 **Blind flange, polished NiSn**

G

ACCESSORIES TO THE COMPLETION SET TAIFUN-DUO



7991020 **Handle V4A**

Rabat Group

G

7552050 **Taifun Duo massage hose with a blind flange**

G

8555150 **Taifun Duo massage hose with a pulsating water jet and blind flange**

G

7280050 **Console for the 1,5 - 2,2 - 2,6 kW**

G

TAIFUN

- Counter-current-systems for all kind of pools
- All visible parts out of stainless-steel V4 A
- All functions can be done from the pool
- Made of gun metal
- Three-phase-current 230/400 V - 50 Hz
- Power rating: **2,6 kW**
- Input 3,4 kW / 5,8 A
- **Flow rate 1050 liter/min. at 1,0 bar**


Rabat Group


- 7610050 **TAIFUN built-in set**
 ■ Mounting depth 240 mm

G



- 7611550 **TAIFUN built-in set**
 ■ Mounting depth 150 mm

G




- 7620020 **Completion set TAIFUN - ROUND MASK**
 ■ Bronze pump 2,6 kW
 ■ Control
 ■ Set of connection fittings
 ■ Round mask made of stainless steel V4 A

G



- 7630020 **Completion set TAIFUN - SQUARE MASK**
 ■ Bronze pump 2,6 kW
 ■ Set of connection fittings and control
 ■ Rectangular mask made of stainless steel V4 A

G



ACCESSORIES TO THE BUILT-IN SET TAIFUN SAME AS TAIFUN-DUO

ACCESSORIES TO THE COMPLETATION SET TAIFUN



- 7991020 **Handle V4A for the round mask**
 8090020 **Handle V4A for the rectangular mask**

G

G



- 7551050 **Massage hose**
 8551050 **Massage hose with a pulsating water jet**
 8555150 **Massage nozzle with a pulsating water jet**
 7280050 **Console for the 1,5 - 2,2 - 2,6 kW**

G

G

G

G

TORNADO

- Counter-current-systems for all kind of pools
- All visible parts out of stainless-steel V4 A
- All functions can be done from the pool
- Made of gun metal
- Three-phase-current 230/400 V - 50 Hz
- Power rating: **2,6 kW**
- Input 3,4 kW / 5,8 A
- **Flow rate 1050 liter/min. at 1,0 bar**




- 8100050 **TORNADO built-in set**
- Mounting depth 240 mm
- 8110000 **Completion set TORNADO**
- Bronze pump 2,6 kW
 - Set of connection fittings and control
 - Rectangular mask made of NiSn

Rabat Group

G

G



ACCESSORIES TO THE BUILT-IN SET TORNADO



- 8130050 **Flange set**
- 7925050 **Extension set 17 am**
- 7935050 **Set of elbows - 45° 2 1/2"**
- 7945050 **Set of elbows - 90° 2 1/2"**

Rabat Group

G

G

G

G

ACCESSORIES TO THE COMPLETION SET TORNADO



- 8120020 **Handle V4A**
- 7551050 **Massage hose**
- 8551050 **Massage hose with a pulsation water jet**
- 8555150 **Massage nozzle with a pulsating water jet**
- 7280050 **Console for 1,5 - 2,2 - 2,6 kW**

G

G

G

G

G

BOTTOM MESSAGE - BRONZE

BOTTOM MESSAGE - AIR



8500050 **Air bottom massage - built-in set - side outlet**

**Rabat
Group**

G

8510050 **Air bottom massage - built-in set - bottom out.**

G

8530020 **Completion set AIR BOTTOM MESSAGE
for concrete and liner pool**

G

710033 **Completion set AIR BOTTOM MESSAGE
for fiberglass pool**

G

- Blowers 1,3 kW (alternating current)
- Non-return valve
- Pneumatic button
- Massage plate polished NiSn
- Control box
- Switch with safety

8522050 **Flange set for liner**

G

- 2-parts



COMBI - WHIRL FLOOR MESSAGE



710035 **Air + water bottom massage - built-in set**

**Rabat
Group**

G

710036 **Completion set - air+water bottom massage**

G

710037 **Completion set - air+water bottom massage
white suction grid V4A**

G

- Pumps 2,2 kW
- Pneumatic button
- Massage plate polished NiSn
- Control box
- Suction grid V4 A

WALL MASSAGE DEVICE - BRONZE

STANDARD WALL MASSAGE DEVICE - 2 NOZZLES

- Made of gunmetal (bronze)



8696050

Wall massage 2 nozzles - built-in set
■ Mounting depth 240 mm

Rabat Group

G



8697020

Completion set WALL MASSAGE DEVICE 2 for concrete pool

G

8699020

Completion set WALL MASSAGE DEVICE 2 for liner pool

G

8698020

Completion set WALL MASSAGE DEVICE 2 for pre-fabricated pool



G



- Bronze pump 0,5 kW
- Alternating-current
- Pneumatic button
- Fittings pneumatic switch
- Covers made of stainless steel V4 A
- Suction grid made of stainless steel V4 A
- Control box
- 2x nozzles - polished NiSn

▼ installation scheme for concrete and liner pool




▼ installation scheme for pre-fabricated pool



▼ through wall for wall massage

▼ through wall for suction grid

▼ through wall for pneu. button



8669850

Built-in housing pressure side
■ For concrete and liner pools
■ Mounting depth 240 mm

Rabat Group

G






8669420

Massage nozzle G1 1/2
■ With nozzles

G

SUCTION HOUSING

- Made of gunmetal (bronze)



9161020 Suction housing DN 65

- Connection: G2½" internal thread
- Complete with suction sieve made of stainless steel V4A
- Diameter: Ø 200 mm
- Hair protected DIN 13451

**Rabat
Group**
G

9162020 Suction housing DN 80

- Connection DN80 with PVC-flange-sleeve and flange
- Complete with suction sieve made of stainless steel V4A
- Diameter: Ø 350 mm
- Hair protected DIN 13451

G

9163020 Suction housing DN 100

- Connection DN100 with PVC-flange-sleeve and flange
- Complete with suction sieve made of stainless steel V4A
- Diameter: Ø 485 mm
- Hair protected DIN 13451

G

9164020 Suction housing DN 150

- Connection DN150 with PVC-flange-sleeve and flange
- Complete with suction sieve made of stainless steel V4A
- Diameter: Ø 485 mm
- Hair protected DIN 13451

G

9161550 Flange for suction housing DN 65


G

9162550 Flange for suction housing DN 80

G

9163550 Flange for suction housing DN 100

G



PNEUMATIC SWITCH BRONZE / STAINLESS STEEL



7010120 **Pneumatic switch for concrete pool - complete**
■ Cover made of stainless steel 316Ti

**Rabat
Group**

G



7010220 **Pneumatic switch for liner pool - complete**
■ With flanges for liner pool
■ Cover made of stainless steel 316Ti

G



8710050 **Built-in niche for pneumatic switch**

G

8712020 **Pneumatic switch element**

G

7322060 **Pneumatic control 230 / 400 V**
■ For 2,6 kW pumps, three-phase-current
■ Only for pneumatic switch bronze/stainless steel!

G

POOL ATTRACTIONS - MADE OF STAINLESS STEEL

AIR HYDROMASSAGE GRILLE

All the floor massage are made of quality stainless steel AISI 316L V4 A.
Surface finish polished steel.




740001 **ROUND GRILLE - LUX - for concrete pool**
■ dimension: Ø 320 mm

**Rabat
Group**

G

740002 **ROUND GRILLE - LUX - for liner pool**
■ dimension: Ø 320 mm

G



740109 **ROUND GRILLE - for concrete pool**
■ dimension: Ø 475 mm

**Rabat
Group**

A

740110 **ROUND GRILLE - for liner pool**
■ dimension: Ø 475 mm

A



740111 **SQUARE GRILLE - for concrete pool**
■ dimension: 414 x 414 mm

A

740112 **SQUARE GRILLE - for liner pool**
■ dimension: 414 x 414 mm

A



AIR & HYDRO MASSAGE INLETS - STAINLESS STEEL

Made of quality stainless steel AISI 316L V4 A

HYDRO MASSAGE INLET

Complete with body and orientable inlet!

Rabat
Group



- 740168 **Hydromassage inlet STANDARD - G 1 1/2" for concrete pool** G
- Connection: water inlet G1" int.(C), air inlet G3/8" ext.(D)
 - Dimension: Ø 102 mm (A) x L 75 mm (F)
 - Max. flow rate: 6 m³/h

- 740169 **Hydromassage inlet STANDARD - G 2" for concrete pool** G
- Connection: water inlet G1" int.(C), air inlet G3/8" ext.(D)
 - Dimension: Ø 105 mm (A) x L 75 mm (F)
 - Max. flow rate: 8 m³/h



- 740170 **Hydromassage inlet STANDARD - G 3" for concrete pool** G
- Connection: water inlet G1 1/2" int. (C), air inlet G1/2" ext. (D)
 - Dimension: Ø 130 mm (A) x L 115 mm (F)
 - Max. flow rate: 12 m³/h

- 740171 **Hydromassage inlet STANDARD - G 1 1/2" for liner pool** G
- Connection: water inlet G1" int.(C), air inlet G3/8" ext.(D)
 - Dimension: Ø 102 mm (A) x L 75 mm (F)
 - Max. flow rate: 6 m³/h



- 740172 **Hydromassage inlet STANDARD - G 2" for liner pool** G
- Connection: water inlet G1" int.(C), air inlet G3/8" ext.(D)
 - Dimension: Ø 105 mm (A) x L 75 mm (F)
 - Max. flow rate: 8 m³/h

- 740173 **Hydromassage inlet STANDARD - G 3" for liner pool** G
- Connection: water inlet G1 1/2" int. (C), air inlet G1/2" ext. (D)
 - Dimension: Ø 145 mm (A) x L 115 mm (F)
 - Max. flow rate: 12 m³/h





- 740178 **Hydromassage inlet DE LUXE - G 2" for concrete pool** G



- 740177 **Hydromassage inlet DE LUXE - G 2" for liner pool** G
- Connection: water inlet G1" int., air inlet G3/8" ext.
 - Dimension: Ø 105 mm x L 75 mm
 - Max. flow rate: 8 m³/h

▼ hydromassage inlet STANDARD for concrete pool

▼ hydromassage inlet STANDARD for liner pool



AIR MESSAGE INLET



		Rabat Group
740179	Air message inlet - G 1½" - for concrete pool	G
740180	Air message inlet - G 1½" - for liner pool	G
740183	Air message inlet - G 2" - for concrete pool	G
740184	Air message inlet - G 2" - for liner pool	G

For concrete pool



740185	Air message mini inlet - G 3/8" ■ With 3 holes ■ Dimension: Ø 31 mm x L 25 mm	G
740186	Air message mini inlet - G 1/2" ■ With 5 holes ■ Dimension: Ø 35 mm x L 27 mm	G
740187	Air message mini inlet - G 3/4" ■ With 7 holes ■ Dimension: Ø 40 mm x L 32 mm	G

HYDRO MESSAGE INLET

- Made of ABS
- Connection: water inlet Ø 33, air inlet Ø 25
- Dimension: Ø 110 mm (cover flange)



		Rabat Group
740188	Hydromassage inlet - ADJUSTABLE for concrete pool	G
740189	Hydromassage inlet - ADJUSTABLE for liner pool	G



740190	Hydromassage inlet - ROTOR for concrete pool	G
740191	Hydromassage inlet - ROTOR for liner pool	G



740192	Hydromassage inlet - 7 JETS for concrete pool	G
740193	Hydromassage inlet - 7 JETS for liner pool	G

740194	Stainless steel Plate for cover AISI 316/L - V4A	G
--------	--	---

PNEUMATIC BUTTON

			Rabat Group
	740195	Pneumatic button - Round ■ Made of ABS	G
	740196	Pneumatic button switch with 1 button ■ Made of stainless steel AISI 316L V4A ■ Complete with base	G
	740197	Pneumatic button switch with 2 buttons ■ Made of stainless steel complete with base ■ Complete with base	G
	740198	Pneumatic button switch with 3 buttons ■ Made of stainless steel complete with base ■ Complete with base	G

FOUNTAINS SUCTION - FIXED FOR PIPE

- Made of stainless steel AISI 316 L V4 A - polished finish

For concrete pool

			Rabat Group
	740140	Fountain suction - fixed for pipe 75/90 ■ Diameter: Ø 120 mm	G
	740141	Fountain suction - fixed for pipe 90/110 ■ Diameter: Ø 145 mm	G
	740142	Fountain suction - fixed for pipe 125/140 ■ Diameter: Ø 180 mm	G


FOUNTAINS SUCTION - THREADED

- Made of stainless steel AISI 316 L V4 A - polished finish

For concrete pool

			Rabat Group
	740134	Fountain suction - G 3" ext.	G
	740135	Fountain suction - G 4" ext.	G
	740136	Fountain suction - G 5" ext.	G

For liner pool

			Rabat Group
	740137	Fountain suction - G 3" ext.	G
	740138	Fountain suction - G 4" ext.	G
	740139	Fountain suction - G 5" ext.	G

WALL SAFETY - ROUND COVER GRILLES

- Made of stainless steel AISI 316 L V4 A - polished finish
- With 2 holes for fixing



For concrete pool

740143	Round cover grille - Ø 168
740144	Round cover grille - Ø 220
740145	Round cover grille - Ø 273
740146	Round cover grille - Ø 320

Rabat Group

G
G
G
G

WALL SAFETY - SQUARE COVER GRILLES

- Made of stainless steel AISI 316 L V4 A - polished finish
- Only grille



740151	Square cover grille 240 x 240 mm
740152	Square cover grille 290 x 290 mm
740153	Square cover grille 390 x 390 mm
740154	Square cover grille 490 x 290 mm
740155	Square cover grille 600 x 390 mm

Rabat Group

G
G
G
G
G

FRAME FOR WALL SAFETY GRILLES - SQUARE TYPE

- Made of stainless steel AISI 316 L V4 A - polished finish
- Only frame



For concrete pool

740156	Frame - 24 x 24 cm - 3"
740157	Frame - 29 x 29 cm - 4"
740158	Frame - 39 x 39 cm - 5"
740159	Frame - 49 x 29 cm - 2x 4"
740160	Frame - 60 x 39 cm - 2x 5"

Rabat Group

G
G
G
G
G

FRAME FOR WALL SAFETY GRILLES - SQUARE TYPE

- Made of stainless steel AISI 316 L V4 A - polished finish
- Only frame

For pre-fabricate pool

740161	Frame - 24 x 24 cm - 3"
740162	Frame - 29 x 29 cm - 4"
740163	Frame - 39 x 39 cm - 5"
740164	Frame - 49 x 29 cm - 2x 4"
740165	Frame - 60 x 39 cm - 2x 5"

Rabat

G
G
G
G
G

WALL SAFETY - RECTANGULAR COVER GRILLES

- Made of stainless steel AISI 316 L V4 A - polished finish
- Only grille



740166 **Rectangular cover grille 330 x 720 mm**

740167 **Rectangular cover grille 330 x 950 mm**

**Rabat
Group**

G

G

AIR HYDRO-MASSAGE BEDS

- Made of stainless steel AISI 316 L V4 A - polished finish



For concrete pool

740117 **Single air hydro-massage bed**
 ■ Width 150 mm

740118 **Double air hydro-massage bed**
 ■ Width 270 mm

**Rabat
Group**

G

G





For liner pool

740119 **Single air hydro-massage bed**
 ■ Width 210 mm

740500 **Double air hydro-massage bed**
 ■ Width 280 mm

G

G



- Made of stainless steel AISI 316 L V4 A - polished finish



- Width 150 mm

- Width 270 mm

For liner pool

- Width 210 mm

- Width 280 mm


G

G

G

G

▼ scheme view for concrete pool




Rabat Group



- Complete
- Width handrail 280 mm

G



WATER GAMES

- Made of stainless steel AISI 316 L V4 A

COBRA INFINITY



510101	Cobra - polished	■ Capacity: 50 m3/h ■ Height: 690 mm ■ Depth: 675 mm	■ Connection: G2" mm ■ Width: 500 mm	Rabat Group A
510102	Cobra - brush polished	■ Capacity: 50 m3/h ■ Height: 690 mm ■ Depth: 675 mm	■ Connection: G2" mm ■ Width: 500 mm	A

CANON INFINITY



510103	Canon - polished	■ Capacity: 30 m3/h ■ Height: 820 mm ■ Depth: 950 mm	■ Connection: G2" mm ■ Width: 210 mm	Rabat Group A
510104	Canon - brush polished	■ Capacity: 30 m3/h ■ Height: 820 mm ■ Depth: 950 mm	■ Connection: G2" mm ■ Width: 210 mm	A

BULL INFINITY




740300	Bull - brush polished	■ Capacity: 50 m3/h ■ Height: 800 mm ■ Depth: 800 mm	■ Connection: G2, 5" ■ Width: 700 mm	Rabat Group A
--------	------------------------------	--	---	-------------------------

LION INFINITY




740301	Lion 600 - brush polished	■ Capacity: 50 m3/h ■ Height: 1000 mm ■ Depth: 965 mm	■ Connection: G2, 5" ■ Width: 680 mm	Rabat Group A
740302	Lion 1000 - brush polished	■ Capacity: 50 m3/h ■ Height: 1000 mm ■ Depth: 965 mm	■ Connection: G2, 5" ■ Width: 680 mm	A

FISH INFINITY




740304	FISH - polished	■ Capacity: 30 m3/h ■ Height: 535 mm ■ Depth: 695 mm	■ Connection: G2" mm ■ Width: 410 mm	Rabat Group A
740303	FISH - brush polished	■ Capacity: 30 m3/h ■ Height: 535 mm ■ Depth: 695 mm	■ Connection: G2" mm ■ Width: 410 mm	A

RAM INFINITY



			Rabat Group
740306	RAM - polished	- Capacity: 30 m3/h - Height: 510 mm - Depth: 395 mm	A
		- Connection: G2" mm - Width: 420 mm	
740305	RAM - brush polished	- Capacity: 30 m3/h - Height: 510 mm - Depth: 395 mm	A
		- Connection: G2" mm - Width: 420 mm	

SCORPION INFINITY



			Rabat Group
740308	SCORPION - polished	- Capacity: 30 m3/h - Height: 315 mm - Depth: 210 mm	A
		- Connection: G2" mm - Width: 250 mm	
740307	SCORPION - brush polished	- Capacity: 30 m3/h - Height: 315 mm - Depth: 210 mm	A
		- Connection: G2" mm - Width: 250 mm	

CAPRICORN INFINITY




			Rabat Group
740310	CAPRICORN - polished	- Capacity: 21,5 m3/h - Height: 780 mm - Depth: 345 mm	A
		- Connection: G1,5" - Width: 110 mm	
740309	CAPRICORN - brush polished	- Capacity: 21,5 m3/h - Height: 780 mm - Depth: 345 mm	A
		- Connection: G1,5" - Width: 110 mm	

SHOOTER INFINITY




			Rabat Group
740312	SHOOTER - polished	- Capacity: 21,5 m3/h - Height: 780 mm - Depth: 345 mm	A
		- Connection: G1,5" - Width: 110 mm	
740311	SHOOTER - brush polished	- Capacity: 21,5 m3/h - Height: 780 mm - Depth: 345 mm	A
		- Connection: G1,5" - Width: 110 mm	

STREAMLINE LARGE INFINITY



			Rabat Group
740314	STREAMLINE LARGE - polished	- Capacity: 30 m3/h - Height: 725 mm - Depth: 853 mm	A
		- Connection: G2" - Width: 175 mm	
740313	STREAM LINE LARGE - brush polished	- Capacity: 30 m3/h - Height: 725 mm - Depth: 853 mm	A
		- Connection: G2" - Width: 175 mm	

STREAMLINE SMALL INFINITY


740316	STREAMLINE SMALL - polished		
	- Capacity: 21,5 m3/h - Height: 380 mm - Depth: 495 mm	- Connection: G1,5" - Width: 100 mm	
740315	STREAMLINE SMALL - brush polished		
	- Capacity: 21,5 m3/h - Height: 380 mm - Depth: 495 mm	- Connection: G1,5" - Width: 100 mm	

**Rabat
Group**

A


A

SEA SERPENT INFINITY


740317	SEA SERPENT - brush polished		
	- Capacity: 50 m3/h - Height: 2320 mm - Depth: 270 mm	- Connection: DN65 PN10/76,1 AL - Width: 270 mm	

**Rabat
Group**

A

MUSHROOM INFINITY WITH STAINLESS STEEL CAP


740319	MUSHROOM 900 - brush polished		
	- Capacity: 50 m3/h - Height: 2280 mm - Depth: 900 mm	- Connection: DN 65 PN 10/76,1 AL - Width: 900 mm	
740320	MUSHROOM 1000 - brush polished		
	- Capacity: 50 m3/h - Height: 2280 mm - Depth: 1000 mm	- Connection: DN 65 PN 10/76,1 AL - Width: 1000 mm	
740321	MUSHROOM 1200 - brush polished		
	- Capacity: 50 m3/h - Height: 2280 mm - Depth: 1200 mm	- Connection: DN 65 PN 10/76,1 AL - Width: 1200 mm	

**Rabat
Group**

A

A

A

MUSHROOM INFINITY WITH FIBERGLASS CAP

740322	MUSHROOM 2000 - brush polished		
	- Capacity: 80 m3/h - Height: 2280 mm - Depth: 2000 mm	- Connection: DN 80 PN 10/88,9 AL - Width: 2000 mm - Stainless steel leg	

**Rabat
Group**

A

FALL

- Complete with counterflange to be cemented in place



740005	FALL 300	L	
	Jet width 300 mm		
740006	FALL 400	L	
	Jet width 400 mm		
740007	FALL 600	*	
	Jet width 600 mm		

**Rabat
Group**

G

G

G

- * Colours on request: SILVER/METALLIC BLUE - PEARL WHITE.
- L=Mirror finish. You are recommended to earth the installation.
- For wooden packing, the cost will be charged separately.

HALFMOON

- Complete with counterflange to be cemented in place



740009	HALFMOON M 325		
	■ Jet width 325 mm		
740010	HALFMOON M 500	*	
	■ Jet width 500 mm		
740011	HALFMOON M 625	*	
	■ Jet width 625 mm		

**Rabat
Group**

G

G

G

- * Colours on request: **SILVER/METALLIC BLUE - PEARL WHITE.**
- **L=Mirror finish. You are recommended to earth the installation.**
- For wooden packing, the cost will be charged separately.

MINI COBRA



740012	MINI COBRA 300		
	■ Jet width 300 mm		
740013	MINI COBRA 500		
	■ Jet width 500 mm		
740014	COBRA 650		
	■ Jet width 650 mm		
740015	SUPER COBRA 800		
	■ Jet width 800 mm		

**Rabat
Group**

G

G

G

G

"SUNFLOWER"



740016	Ø 76 TYPE "MEDIUM"		
	■ With diffuser Ø 168 mm		
740017	Ø 89 TYPE "MAXI"		
	■ With diffuser Ø 220 mm		

**Rabat
Group**

G

G

"HERON"



740018	Ø 76 TYPE "MEDIUM"		
	■ With nozzle Ø 27 - 33		
740019	Ø 89 TYPE "MAXI"		
	■ With nozzle Ø 33 - 48		
740020	Ø 76 Fan outlet		
	■ AV - 200 mm		
740021	Ø 89 Fan outlet		
	■ AV - 300 mm		

**Rabat
Group**

G

G

G

G

- All the fountains are complete with counterflange to be cemented in place.
- Colours available on request: silver/metallic blue pearl white.
- **You are recommended to earth the installation.**
- For wooden packing, the cost will be charged separately.

CANNON



740022	CANNONE Ø 89 ■ Jet width Ø 33/42	L	
740023	CANNONE Ø 114 ■ Jet width Ø 42/48	L	

**Rabat
Group**

G

G

FAN

■ Complete with counter flange to be cemented in place.



740024	V - 300 ■ Jet width 300 mm	*	■ Ø 76 mm
740025	V - 400 ■ Jet width 400 mm	*	■ Ø 89 mm
740026	V - 500 ■ Jet width 500 mm	*	■ Ø 114 mm
740027	V - 170 ■ Jet width 170 mm	L	■ 60x60 mm
740028	V -250 ■ Jet width 250 mm	L	■ 80x80 mm

**Rabat
Group**

G

G

G

G

G

NOZZLE

■ Complete with counter flange to be cemented in place.



740029	U - Ø 60 ■ Jet width Ø 27 mm	L	
740030	U - Ø 89 ■ Jet width Ø 33/42 mm	L	
740031	U - Ø 114 ■ Jet width Ø 42/48 mm	L	
740032	UD - Ø 60 ■ Jet width Ø 27 mm	L	
740033	UD - Ø 89 ■ Jet width Ø 33/42 mm	L	
740034	UD - Ø 114 ■ Jet width Ø 42/48 mm	L	

**Rabat
Group**

G

G

G

G

G

G

* Colours on request: **SILVER/METALLIC BLUE - PEARL WHITE.**

► **L=Shiny polished** ► For wooden packing, the cost will be charged separately.

WATER HEDGEHOG

A water game with thin spray capillary diffusion. Complete with shell, column and base ring nut and flange to be cemented into paving. Shiny finished.



740035	168	Ø 168 mm = 300/500	G
740036	250	Ø 250 mm = 300/500	G
740037	500	Ø 500 mm = 300/500	G
740038	500	Ø 500 mm = 500/700	G
740039	500	Ø 500 mm = 500/900	G

**Rabat
Group**

G

G

G

G

G

MUSHROOM

- Complete with counter flange to be cemented in place.



a) VTR FIBERGLASS

740043	800	Column: Ø 114	G
740044	1000	Column: Ø 140	G
740045	1200	Column: Ø 168	G
740046	1600	Column: Ø 220	G
740047	2000	Column: Ø 273	G
740048	2400	Column: Ø 273	G

b) STAINLESS STEEL

740049	800	Column: Ø 114	G
740050	1000	Column: Ø 140	G
740051	1200	Column: Ø 168	G
740052	1600	Column: Ø 220	G
740053	2000	Column: Ø 273	G

* Stainless steel with metallic silver stoved paint finish

MUSHROOM - STAINLESS STEEL COUNTERFLANGE

740054	For mushroom fountain - type 800 - 1000	G
740055	For mushroom fountain - type 1200 -1600	G
740056	For mushroom fountain - type 2000 - 2400	G

- For wooden packing, the cost will be charged separately.

"CASCADA"



740057	CASCADA 300 mm	G
740058	CASCADA 500 mm	G
740059	CASCADA 750 mm	G
740060	CASCADA 1000 mm	G
740061	CASCADA 1250 mm	G

FOUNTAINS DECORATIVE FALLS


AISI 316 L - V4A STAINLESS STEEL FOUNTAINS DECORATIVE FALLS
(to insert into the beton)



740067	HORIZONTAL - Jet width 330 mm	G
740068	HORIZONTAL - Jet width 500 mm	G
740069	HORIZONTAL - Jet width 750 mm	G
740070	HORIZONTAL - Jet width 1000 mm	G



740071	VERTICAL "STANDARD" - Jet width 330 mm	G
740072	VERTICAL "STANDARD" - Jet width 500 mm	G
740073	VERTICAL "STANDARD" - Jet width 750 mm	G
740074	VERTICAL "STANDARD" - Jet width 1000 mm	G



740075	VERTICAL "TIGHT" - Jet width 200 mm	G
740076	VERTICAL "TIGHT" - Jet width 300 mm	G
740077	VERTICAL "TIGHT" - Jet width 400 mm	G
740078	VERTICAL "TIGHT" - Jet width 500 mm	G

WATER UMBRELLA

A water game with a 360° jet of water. It comes complete with column, protection ring nut and flange to be cemented into paving: the whole has a mirror finish.



740079 **OPEN - Ø 170 mm - h. 2500**

740080 **OPEN - Ø 220 mm - h. 2500**

**Rabat
Group**

G

G

You are recommended to earth the installation.

- For wooden packing, the cost will be charged separately.

UP - UGELLO

- Made of stainless steel AISI 316 L V4 A - polished finish



740081 **UP-UGELLO Ø 60**
 ■ Jet width Ø 27 mm

740082 **UP-UGELLO Ø 89**
 ■ Jet width Ø 27 mm

**Rabat
Group**

G

G

VP - FAN

- Made of stainless steel AISI 316 L V4 A - polished finish



740083 **VP-120** 60 x 60 mm
 ■ Jet width 120 mm

740084 **VP-170** 60 x 60 mm
 ■ Jet width 170 mm

740085 **VP-250** 80 x 80 mm
 ■ Jet width 250 mm

740086 **VP-400** 100 x 100 mm
 ■ Jet width 400 mm

**Rabat
Group**

G

G

G

G

CERVICAL FAN



740087 **VC-170** 50 x 50 mm
 ■ Jet width 170 mm

740088 **VC-250** 80 x 80 mm
 ■ Jet width 250 mm

**Rabat
Group**

G

G