


# ***WALL FITTINGS***



## UNDERWATER LIGHT - AQUA DE - LIGHT

LED Special Illumination Systems for Swimming-Pools

### AQUA DE - LIGHT "SLIMLINE series"

■ min. order quantity 12 pcs/box



804370 **Aqua de - light SLIMLINE BLUE**

**Rabat Group**

A

- Power: max. 24 W
- Voltage: AC 12 V
- Current: max. 2,1 A
- Light Intensity: 1620 Lumen
- Light Output: 160 Degrees
- Level of Protection: class II, IP68
- Thickness: 16 mm
- Diameter: 175 mm

Content of Packaging:

- illuminator with frame
- plastic screws
- 2,6m cable
- watertight plug-in cable connector (IP68)

**Rabat Group**

A



804375 **Aqua de - light SLIMLINE WHITE**

- Power: max. 24 W
- Voltage: AC 12 V
- Current: max. 2,1 A
- Light Intensity: 1620 Lumen
- Light Output: 160 Degrees
- Level of Protection: class II, IP68
- Thickness: 16 mm
- Diameter: 175 mm

Content of Packaging:

- illuminator with frame
- plastic screws
- 2,6m cable
- watertight plug-in cable connector (IP68)

**Rabat Group**

A



804376 **Aqua de - light SLIMLINE PAR056 - BLUE**

A

804376 **Aqua de - light SLIMLINE PAR056 - WHITE**

- Power: max. 15/24 W
- Voltage: AC 12 V
- Current: max. 2,1 A
- Light Intensity: 1200/1620 Lumen
- Light Output: 160 Degrees
- Level of Protection: class II, IP68
- Thickness: 16 mm
- Diameter: 175 mm

Content of Packaging:

- illuminator with frame
- PAR56 rear dome wall
- plastic screws
- 2,6m cable
- watertight plug-in cable connector (IP68)

### AQUA DE - LIGHT "COMPACT series"

■ min. order quantity 12 pcs/box



804387 **Aqua de - light COMPACT BLUE**

**Rabat Group**

A

804385 **Aqua de - light COMPACT WHITE**

A

- Power: max. 24 W
- Voltage: AC 12 V
- Current: max. 2,1 A
- Light Intensity: 1620 Lumen
- Light Output: 160 Degrees
- Level of Protection: class II, IP68
- Thickness: 24 mm
- Diameter: 120 mm

Content of Packaging:

- illuminator with 1,5" thread
- 2,6m cable
- watertight plug-in cable connector (IP68)
- plastic screws

**AQUA DE - LIGHT "MULTICOLOUR RGB series"**

■ min. order quantity 12 pcs/box



804367 **Aqua de - light SLIMLINE Multicolour RGB**

**Rabat Group**

A

- Power: max. 15 W
- Voltage: AC 12 V
- Current: max. 1,3 A
- Light Intensity: 1200 Lumen
- Light Output: 160 Degrees
- Level of Protection: class II, IP68
- Thickness: 16 mm
- Diameter: 175 mm

- Content of Packaging:
- illuminator with frame
  - plastic screws
  - 2,6m cable
  - watertight plug-in cable connector (IP68)



804378 **Aqua de - light SLIMLINE PAR056 - RGB**

**Rabat Group**

A

- Power: max. 15/24 W
- Voltage: AC 12 V
- Current: max. 2,1 A
- Light Intensity: 1200/1620 Lumen
- Light Output: 160 Degrees
- Level of Protection: class II, IP68
- Thickness: 16 mm
- Diameter: 175 mm

- Content of Packaging:
- illuminator with frame
  - PAR56 rear dome wall
  - plastic screws
  - 2,6m cable
  - watertight plug-in cable connector (IP68)



804388 **Aqua de - light COMPACT Multicolour RGB**

**Rabat Group**

A

- Power: max. 15 W
- Voltage: AC 12 V
- Current: max. 1,3 A
- Light Intensity: 1200 Lumen
- Light Output: 160 Degrees
- Level of Protection: class II, IP68
- Thickness: 24 mm
- Diameter: 120 mm

- Content of Packaging:
- illuminator with 1,5" thread
  - 2,6m cable
  - watertight plug-in cable connector (IP68)






◀ Construction Drawing Niche






Construction Drawing PAR56 Adapter ▶



## ACCESSORIES FOR AQUA DE - LIGHT SLIMLINE series

		<b>Rabat Group</b>
	804372 <b>Aqua de - light NICHE</b> With flange, 2 silicone gaskets and mounting screws for concrete, liner and one piece pools ■ <b>min. order quantity 12 pcs/box</b>	A
	804371 <b>Aqua de - light ADAPTER</b> To fit existing niches with flange diameter of 210-255 mm	A
	804386 <b>Aqua de - light Security Transformer</b> ■ For 1 aqua de-light® RGB Illuminator ■ Mains voltage: 170-250 Volts AC 50/60 Hz ■ Secondary voltage: 12 VAC, 3,7 A, 45 W ■ Level of Protection: IP44	A

## ACCESSORIES - STAINLESS STEEL FOR SLIMLINE series

		<b>Rabat Group</b>
	804379 <b>Niro Stainless Steel Adapter</b> To fit into existing niches	A
	804381 <b>Aqua de - light set of screws</b> for steel adapter 804379	A
		



**PLASTIC WALL FITTINGS**

**SKIMMERS**

Manufactured in ABS, with top round lid square frame, in hard wearing plastic for all type of pools.

**Recommended flow: 5 000 l/h.**



530001 **Skimmer ALFA - for concrete pool**

- Made of white ABS
- With floating weir
- Wide mouth
- Round lid
- Square frame
- Weight: 6,6 kg

**Rabat Group**

C

530005 **Skimmer ALFA - for liner pool**

- Made of white ABS
- With floating weir
- Wide mouth
- Round lid
- Square frame
- Weight: 6,7 kg

C



530002 **Skimmer ALFA PLUS - for concrete pool**

- Made of white ABS
- With floating weir
- Wide mouth
- Round lid
- Square frame
- Weight: 7,6 kg

C

530006 **Skimmer ALFA PLUS - for liner pool**

- Made of white ABS
- With floating weir
- Wide mouth
- Round lid
- Square frame
- Weight: 8,0 kg

C

**ACCESORIES FOR SKIMMERS**



530015 **Vertical extension for skimmer ALFA**

- Made of white ABS
- Weight: 0,2 kg

**Rabat Group**

C

## LEVEL REGULATOR



530016

### ALFA - Mechanical level controller

- Made of white ABS
- Installation depth 24 cm
- Round lid
- Square frame
- Adjustable ball float
- Weight: 1,5 kg

**Rabat  
Group**

C

## WALL THROUGH



530025

### ALFA - Wall trough

- Made of white ABS
- 25 cm long
- Connection pipe: internal Ø50 mm
- Connection to inlet: G 2"
- Length: 250 mm

**Rabat  
Group**

C

## BOTTOM DRAINS



530019

### ALFA - Bottom drain - for concrete pool

**Rabat  
Group**

C



530020

### ALFA - Bottom drain - for liner pool

- Made of UV resistant white ABS
  - flat grid with attachment using two stainless steel screws (included package)
  - Weight: 3,5 kg
  - Diameter: Ø 200 mm
  - Rectangular side outlet G 2"
  - Bottom outlet G 1 ½ "
- (This outlet is blind, for its use is necessary to plug break up)

C

## WALL INLETS



530027

### ALFA - Wall inlets - for concrete pool

- Connection: internal Ø50 mm to glue, ext. G2"
- Made of white ABS

**Rabat  
Group**

C



530030

### ALFA - Wall inlets - for liner pool

- Connection: internal Ø50 mm to glue, ext. G2"
- Made of white ABS

C

530029

### ALFA - Wall inlets - for prefabricated pool

- Connection: internal Ø50 mm to glue, ext. G2"
- Made of white ABS

C

**BOTTOM INLETS**



530034 **ALFA - Bottom inlets - for concrete pool**

- Made of white ABS
- Flow adjustable
- Connection: internal G1½", ext. G2"

**Rabat Group**

C

530035 **ALFA - Bottom inlets - for liner pool**

- Made of white ABS
- Flow adjustable
- Connection: internal G1½", ext. G2"

C



510080 **FISSA - for concrete pool**

- Fixed to pipe Ø50/63 mm

G

510081 **FISSA - for concrete pool**

- Fixed to pipe Ø75/90 mm

G

**INLET VACUUM CLEANER**



530038 **ALFA - Vacuum cl. inlets - for concrete pool**

- Made of white ABS
- Connection: int. Ø50 mm to glue, ext. G2"
- With lid G1½"

**Rabat Group**

C



530039 **ALFA - Vacuum cleaner inlets - for liner pool**

- Made of white ABS
- Connection: int. Ø50 mm to glue, ext. G2"
- With lid G1½"

C

## UNDERWATER REFLECTORS 300W



530042 **ALFA - Underwater reflector - for concr. pool**

**Rabat  
Group**

C

530043 **ALFA - Underwater reflector - for liner pool**

C

- Made of chemical resistant white ABS
- 300W underwater light has to be used every 25 m<sup>2</sup> of water area
- Complete projector with body and ring, stuffing box, joints and lamp
- Halogen reflectors 300W/12V PAR 56 with cable 2 m

## CONNECTION BOX



530049 **ALFA - Connection box**

**Rabat  
Group**

C

- Made of white ABS

## ACCESSORIES TO THE SPOTLIGHTS



530118 **Connection hose**

**Rabat  
Group**

C

- Length: 1,0 m
- Nominal diameter: Ø 2 cm



530112 **Replacement bulb 300 W**

C

- Halogen reflectors 300W/12V PAR 56
- 4000 lx



**WALL FITTINGS OF STAINLESS STEEL**


**SKIMMERS**



510033 **SKIMMER STANDARD - for concrete pool** G

510034 **SKIMMER STANDARD - for liner pool** G


- Made of stainless steel AISI 316 L - V4A
- With attach. 1 1/2" - 2"



510035 **SKIMMER WIDE MOUNTH - for concrete pool** G

510036 **SKIMMER WIDE MOUNTH - for liner pool** G

- Made of stainless steel AISI 316 L - V4A
- With attach. 1 1/2" - 2"



510037 **SKIMMER HORIZONTAL - for concrete pool** G

510038 **SKIMMER HORIZONTAL - for liner pool** G

- Made of stainless steel AISI 316 L - V4A
- With extractable basket from front opening

## BIG UNDERWATER LIGHT - STANDARD TYPE



		<b>Rabat Group</b>
510001	<b>Standard light 300W - for concrete pool</b>	G
510002	<b>Standard light 300W - for liner pool</b>	G
	<ul style="list-style-type: none"> <li>■ Underwater reflector made of polished stainless steel AISI 316 L V4 A</li> <li>■ Parabolic PAR56 lamp 300W / 12V</li> <li>■ Max. diameter: Ø310 mm</li> <li>■ Cable length 3 m (2x6)</li> </ul>	



510003	<b>Steel light 300W - for concrete pool</b>	G
510004	<b>Steel light 300W - for liner pool</b>	G
	<ul style="list-style-type: none"> <li>■ Underwater reflector made of polished stainless steel AISI 316 L V4 A</li> <li>■ Parabolic PAR56 lamp 300W / 12V</li> <li>■ Cable length 3 m (2x6)</li> </ul>	



510100	<b>Standard light 300W SQUARE - for concrete pool</b>	G
510101	<b>Standard light 300W SQUARE - for liner pool</b>	G
	<ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ Parabolic PAR56 lamp 300W / 12V</li> <li>■ Cable length 3 m (2x6)</li> <li>■ Dimension: 320 x 320 mm</li> </ul>	

## SMALL UNDERWATER LIGHT - STANDARD TYPE








		<b>Rabat Group</b>
510110	<b>Mini light "Mignon" 20W - for concrete pool</b>	G
5101101	<b>Mini light "Mignon" 35W - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ Threaded 1¼"</li> <li>■ Cable length 3 m (2x1,5)</li> <li>■ Diameter: Ø106 mm</li> </ul>	



510111	<b>Mini light "Mignon" 20W - for prefabricated p.</b>	G
5101111	<b>Mini light "Mignon" 35W - for prefabricated p.</b>	G
	<ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ Threaded and ferrule 1¼"</li> <li>■ Cable length 3 m (2x1,5)</li> <li>■ Diameter: Ø106 mm</li> </ul>	



510112	<b>Mini light "Mignon" 20W - for concrete pool</b>	G
5101121	<b>Mini light "Mignon" 35W - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ With recessed niche</li> <li>■ Cable length 3 m (2x1,5)</li> <li>■ Diameter: Ø116 mm</li> </ul>	

			Rabat Group
	510113	<b>Mini light "Mignon" 20W - for liner pool</b>	G
	5101131	<b>Mini light "Mignon" 35W - for liner pool</b> <ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ With recessed niche</li> <li>■ Cable lenght 3 m (2x1,5)</li> <li>■ Diameter: Ø116 mm</li> </ul>	G
	510114	<b>Mini light "Mignon" 50W - for concrete pool</b>	G
	5101141	<b>Mini light "Mignon" 65W - for concrete pool</b> <ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ Threaded 2"</li> <li>■ Cable lenght 3 m (2x1,5)</li> <li>■ Diameter: Ø106 mm</li> </ul>	G
	510115	<b>Mini light "Mignon" 50W - for prefabricated p.</b>	G
	5101151	<b>Mini light "Mignon" 65W - for prefabricated p.</b> <ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ Threaded and ferrule 2"</li> <li>■ Cable lenght 3 m (2x1,5)</li> <li>■ Diameter: Ø106 mm</li> </ul>	G
	510116	<b>Mini halogen light 50W - for concrete pool</b>	G
	5101161	<b>Mini halogen light 65W - for concrete pool</b> <ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ With recessed niche</li> <li>■ Cable lenght 3 m (2x1,5)</li> <li>■ Diameter: Ø116 mm</li> </ul>	G
	510117	<b>Mini halogen light 50W - for liner pool</b>	G
	5101171	<b>Mini halogen light 65W - for liner pool</b> <ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ With recessed niche x liner</li> <li>■ Cable lenght 3 m (2x1,5)</li> <li>■ Diameter: Ø116 mm</li> </ul>	G
	510118	<b>Mini halogen light 50W SQUARE - for concrete pool</b>	G
	5101181	<b>Mini halogen light 65W SQUARE - for concrete pool</b>	G
	510119	<b>Mini halogen light 50W SQUARE - for liner pool</b>	G
	5101191	<b>Mini halogen light 65W SQUARE - for liner pool</b> <ul style="list-style-type: none"> <li>■ Underwater reflector made of stainless steel AISI 316 L V4 A</li> <li>■ With recessed niche</li> <li>■ Cable lenght 3 m (2x1,5)</li> <li>■ Dimension: 120 x 120 mm</li> </ul>	G

## SMALL UNDERWATER LIGHT - LED TYPE - ONE COLOUR



- |         |   | <b>Rabat Group</b> |
|---------|---|--------------------|
| 5101261 | <b>LED light Mini 3W - for concrete pool</b>  | G                  |
|         | <ul style="list-style-type: none"> <li>■ Underwater LED light made of stainless steel AISI 316 L V4 A</li> <li>■ Threaded 2"</li> <li>■ Cable length 3 m (2x1,5)</li> <li>■ Diameter: Ø106 mm</li> <li>■ <b>3 LEDs</b> (3x 1W)</li> </ul> |                    |

- |        |   |   |
|--------|---|---|
| 510087 | <b>LED light Mini 3W - for prefabricated pool</b>   | G |
|        | <ul style="list-style-type: none"> <li>■ Underwater LED light made of stainless steel AISI 316 L V4 A</li> <li>■ Threaded and ferrule 2"</li> <li>■ Cable length 3 m (2x1,5)</li> <li>■ Diameter: Ø106 mm</li> <li>■ <b>3 LEDs</b> (3x 1W)</li> </ul> |   |



- |        |   |   |
|--------|---|---|
| 510089 | <b>LED light Mini 3W - for concrete pool</b>  | G |
| 510090 | <b>LED light Mini 3W - for liner pool</b>   | G |
|        | <ul style="list-style-type: none"> <li>■ Underwater LED light made of stainless steel AISI 316 L V4 A</li> <li>■ With recessed niche</li> <li>■ Cable length 3 m (2x1,5)</li> <li>■ Diameter: Ø116 mm</li> <li>■ <b>3 LEDs</b> (3x 1W)</li> </ul> |   |

## MEDIUM UNDERWATER LIGHT - LED TYPE - ONE COLOUR



- |        |   | <b>Rabat Group</b> |
|--------|---|--------------------|
| 510093 | <b>LED light Medium 6W - for concrete pool</b>  | G                  |
| 510094 | <b>LED light Medium 6W - for liner pool</b>   | G                  |
|        | <ul style="list-style-type: none"> <li>■ Underwater LED light made of stainless steel AISI 316 L V4 A</li> <li>■ With recessed niche</li> <li>■ Cable length 3 m (2x1,5)</li> <li>■ Diameter: Ø116 mm</li> <li>■ <b>6 LEDs</b> (6x 1W)</li> </ul> |                    |



- |        |   |   |
|--------|---|---|
| 510131 | <b>LED light Medium 11W - for concrete pool</b>   | G |
| 510132 | <b>LED light Medium 11W - for liner pool</b>  | G |
|        | <ul style="list-style-type: none"> <li>■ Underwater LED light made of stainless steel AISI 316 L V4 A</li> <li>■ With recessed niche</li> <li>■ Cable length 3 m (2x1,5)</li> <li>■ Diameter: Ø160 mm</li> <li>■ <b>132 LEDs</b></li> </ul> |   |

**BIG UNDERWATER LIGHT - LED TYPE - ONE COLOUR**



510135 **LED light Big 15W - for concrete pool** Rabat Group G

510136 **LED light Big 15W - for liner pool** G

- Underwater LED light made of stainless steel AISI 316 L V4 A
- With recessed niche
- Cable length 3 m (2x1,5)
- Diameter: Ø240 mm
- **15 LEDs** (15x 1W)
- Light Intensity: 5000 Lux



510139 **Super LED 50W - for concrete pool** G

510140 **Super LED 50W - for liner pool** G

- Underwater LED light made of stainless steel AISI 316 L V4 A
- With recessed niche
- Cable length 3 m (2x1,5)
- Diameter: Ø290(Ø320) mm
- **531 LEDs**

**UNDERWATER LIGHT - LED TYPE - RGB COLOUR**



510155 **LED light Mini 132 11W RGB - for concr. pool** Rabat Group G

510156 **LED light Mini 132 11W RGB - for liner pool** G

- Underwater LED light made of stainless steel AISI 316 L V4 A
- With recessed niche
- Cable length 5 m
- Diameter: Ø160 mm
- **132 LEDs**
- **16 colours**



510160 **Super LED 531 50W - for concrete pool** G

510161 **Super LED 531 50W - for liner pool** G

- Underwater LED light made of stainless steel AISI 316 L V4 A
- With recessed niche
- Cable length 3 m (2x1,5)
- Diameter: Ø290 mm
- **531 LEDs**
- **16 colours**



510164 **Super LED 531 50W - for concrete pool** G

510165 **Super LED 531 50W - for liner pool** G

- Underwater LED light made of stainless steel AISI 316 L V4 A
- With recessed niche
- Cable length 3 m (2x1,5)
- Diameter: Ø320 mm
- **531 LEDs - Lamp PAR 56**
- **16 colours**

**ACCESSORIE FOR LED LIGHTS - RGB - CHANGE COLOR**

510159 **Remote control for changing color with receiving (for LED 132-531)** Rabat Group G



## DECK BOX FOR UNDERWATER LIGHT



510009

### Deck box for underwater light

**Rabat  
Group**

G

- Underwater LED light made of stainless steel AISI 316 L V4 A
- Dimension: 130x130x80 mm
- Connection side: 2x R 1/2" in.
- Connection from the bottom: R 3/4" in
- Slip-resistant cover

## BOTTOM DRAINS

- Polished finish (lid)



510010

### Round bottom drain Ø170 - for concrete pool

**Rabat  
Group**

G

510011

### Round bottom drain Ø170 - for liner pool

G

- Made of stainless steel AISI 316 L V4 A
- Dimension: Ø170, h 125 mm
- Connection side: R 2" in.



510118

### Square bottom drain 20x20 - for concr. pool

G

510119

### Square bottom drain 20x20 - for liner pool

G

- Made of stainless steel AISI 316 L V4 A
- Dimension: 200x200 mm, h 170 mm
- Connection side: R 2" in.

510120

### Square bottom drain 25x25 - for concr. pool

G

510121

### Square bottom drain 25x25 - for liner pool

G

- Made of stainless steel AISI 316 L V4 A
- Dimension: 250x250 mm, h 200 mm
- Connection side: R 3" in.

510122

### Square bottom drain 30x30 - for concr. pool

G

510123

### Square bottom drain 30x30 - for liner pool

G

- Made of stainless steel AISI 316 L V4 A
- Dimension: 300x300 mm, h 200 mm
- Connection side: R 4" in.



510124

### Square bottom drain 40x40 - for concr. pool

G

510125

### Square bottom drain 40x40 - for liner pool

G

- Made of stainless steel AISI 316 L V4 A
- Dimension: 400x400 mm, h 290 mm
- Connection side: flange DN 125

510124

### Square bottom drain 45x45 - for concr. pool

G

510125


### Square bottom drain 45x45 - for liner pool

G

- Made of stainless steel AISI 316 L V4 A
- Dimension: 450x450 mm, h 320 mm
- Connection side: flange DN 150

**BOTTOM INLETS FITTINGS**

- Polished finish



**Bottom inlets type ADJUSTABLE**

510064	<b>Bottom inlets 2" - adjustable - for concr. pool</b>	G
510065	<b>Bottom inlets 2" - adjustable - for liner pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Plate adjustable flow</li> <li>■ Connection: external R 2"</li> <li>■ Dimension: Ø145, h 55-60 mm</li> </ul>	
510066	<b>Bottom inlets 3" - adjustable - for concr. pool</b>	G
510067	<b>Bottom inlets 3" - adjustable - for liner pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Plate adjustable flow</li> <li>■ Connection: external R 3"</li> <li>■ Dimension: Ø158, h 60-65 mm</li> </ul>	

**Rabat Group**

**Bottom inlets type STANDARD (fixed for pipe)**



510012	<b>Bottom inlets - fixed for pipe 50/63 - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Fixed to pipe Ø50/63 mm</li> <li>■ Dimension: Ø115, h 70 mm</li> </ul>	
510013	<b>Bottom inlets - fixed for pipe 75/90 - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Fixed to pipe Ø75/90 mm</li> <li>■ Dimension: Ø135, h 70 mm</li> </ul>	

**Rabat Group**

**Bottom inlets type LUX (fixed for pipe)**



510014	<b>Bottom inlets LUX - fixed for pipe 50/63 - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Fixed to pipe Ø50/63 mm</li> <li>■ Dimension: Ø120, h 70 mm</li> <li>■ Flow adjustable butterfly</li> </ul>	
510015	<b>Bottom inlets LUX - fixed for pipe 75/90 - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Fixed to pipe Ø75/90 mm</li> <li>■ Dimension: Ø145, h 70 mm</li> <li>■ Flow adjustable butterfly</li> </ul>	

**Rabat Group**

**Bottom inlets type KAISER (fixed for pipe)**



510082	<b>Bottom inlets KAISER - fixed for pipe 50/63 - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Fixed to pipe Ø50/63 mm</li> <li>■ Dimension: Ø115, h 70 mm</li> </ul>	
510083	<b>Bottom inlets KAISER - fixed for pipe 75/90 - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Fixed to pipe Ø75/90 mm</li> <li>■ Dimension: Ø135, h 70 mm</li> </ul>	

**Rabat Group**

## WALL INLETS FITTINGS

- Polished finish



### Directional wall inlets for concrete pools

		Rabat Group
510016	<b>Wall inlets DIRECTIONAL - R 1 1/2" ext.</b>	G
510017	<b>Wall inlets DIRECTIONAL - R 2" ext.</b>	G
510051	<b>Wall inlets DIRECTIONAL - R 2 1/2" ext.</b>	G
510052	<b>Wall inlets DIRECTIONAL - R 3" ext.</b>	G

- Made of stainless steel AISI 316 L V4 A
- With directional sphere
- Connection: external R 1/2" - R 3"
- Dimension: Ø96-135 mm, h 35-47 mm



### Directional wall inlets for liner pools

510018	<b>Wall inlets DIRECTIONAL - R 1 1/2" ext.</b>	G
510019	<b>Wall inlets DIRECTIONAL - R 2" ext.</b>	G
510053	<b>Wall inlets DIRECTIONAL - R 2 1/2" ext.</b>	G
510054	<b>Wall inlets DIRECTIONAL - R 3" ext.</b>	G

- Made of stainless steel AISI 316 L V4 A
- With directional sphere
- Connection: external R 1/2" - R 3"
- Dimension: Ø96-145 mm, h 35-47 mm



### Directional wall inlets according to DIN norms for concrete pools

510055	<b>Wall inlets UNI/DIN NORMS - R 1 1/2" ext.</b>	G
510056	<b>Wall inlets UNI/DIN NORMS - R 2" ext.</b>	G

- Made of stainless steel AISI 316 L V4 A
- With directional sphere according to DIN norms
- Connection: external R 1/2" - R 3"
- Dimension: Ø88-130 mm, h 35-47 mm



### Directional wall inlets according to DIN norms for liner pools

510059	<b>Wall inlets UNI/DIN NORMS - R 1 1/2" ext.</b>	G
510060	<b>Wall inlets UNI/DIN NORMS - R 2" ext.</b>	G

- Made of stainless steel AISI 316 L V4 A
- With directional sphere
- Connection: external R 1/2" - R 3"
- Dimension: Ø88-130 mm, h 35-47 mm



**Adjustable wall inlets - butterfly type for concrete pools**

510068 **Wall inlets BUTTERFLY TYPE - R 2" ext.** G

510069 **Wall inlets BUTTERFLY TYPE - R 3" ext.** G

- Made of stainless steel AISI 316 L V4 A
- Flow adjustable butterfly
- Connection: external R 2" - R 3"



**Adjustable wall inlets - butterfly type for liner pools**

510070 **Wall inlets BUTTERFLY TYPE - R 2" ext.** G

510071 **Wall inlets BUTTERFLY TYPE - R 3" ext.** G

- Made of stainless steel AISI 316 L V4 A
- Flow adjustable butterfly
- Connection: external R 2" - R 3"



**Adjustable wall inlets for concrete pools**

510072 **Wall inlets ADJUSTABLE - R 2" ext.** G

510073 **Wall inlets ADJUSTABLE - R 3" ext.** G

- Made of stainless steel AISI 316 L V4 A
- Flow adjustable
- Connection: external R 2" - R 3"
- Dimension: Ø100-135 mm, h 42-47 mm



**Adjustable wall inlets for liner pools**

510074 **Wall inlets ADJUSTABLE - R 2" ext.** G

510075 **Wall inlets ADJUSTABLE - R 3" ext.** G

- Made of stainless steel AISI 316 L V4 A
- Flow adjustable
- Connection: external R 2" - R 3"
- Dimension: Ø122-145 mm, h 42-47 mm



**Adjustable wall inlets for fiberglass pools**

510076 **Wall inlets ADJUSTABLE - R 2" ext.** G

510077 **Wall inlets ADJUSTABLE - R 3" ext.** G

- Made of stainless steel AISI 316 L V4 A
- Flow adjustable
- Connection: external R 2" - R 3"
- Dimension: Ø122-145 mm, h 42-47 mm

**SUCTIONS FOR VACUUM CLEANER**

- Polished finish



510020 **Suctions for vacuum cleaner - for concr. pool** G



510021 **Suctions for vacuum cleaner - for liner pool** G

- Made of stainless steel AISI 316 L V4 A
- With cover
- Connection: external R 2"
- Dimension: Ø100 mm, h 47-50 mm

**Rabat Group**

**Rabat Group**

## FOUNTAIN SUCTIONS FITTINGS

- Polished finish



		<b>Rabat Group</b>
<b>For concrete pools</b>		
510041	<b>Fountain suctions - pierced - R 1½" ext.</b>	G
510042	<b>Fountain suctions - pierced - R 2" ext.</b>	G
510043	<b>Fountain suctions - pierced - R 2½" ext.</b>	G
510044	<b>Fountain suctions - pierced - R 3" ext.</b>	G
510045	<b>Fountain suctions - pierced - R 4" ext.</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Flow adjustable</li> <li>■ Connection: external R ½" - R 4"</li> <li>■ Dimension: max. Ø210, max. h 50 mm</li> </ul>	
<b>For liner pools</b>		
510046	<b>Fountain suctions - pierced - R 1½" ext.</b>	G
510047	<b>Fountain suctions - pierced - R 2" ext.</b>	G
510048	<b>Fountain suctions - pierced - R 2½" ext.</b>	G
510049	<b>Fountain suctions - pierced - R 3" ext.</b>	G
510050	<b>Fountain suctions - pierced - R 4" ext.</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Flow adjustable</li> <li>■ Connection: external R ½" - R 4"</li> <li>■ Dimension: max. Ø210, max. h 50 mm</li> </ul>	

## THROUGH WALL FOR INLET FITTINGS AND SUCTION



		<b>Rabat Group</b>
<b>For concrete pools</b>		
510022	<b>Through wall - R1½" ext/int - leng. 25/35cm</b>	G
510023	<b>Through wall - R 2" ext/int - lenght 25/35 cm</b>	G
510024	<b>Through wall - R 3" ext/int - lenght 40 cm</b>	G
510025	<b>Through wall - R 4" ext/int - lenght 40 cm</b>	G
510026	<b>Through wall - R 5" ext/int - lenght 40 cm</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Lenght: 250/350 - 400 mm</li> <li>■ Connection: internal=external R ½" - R 5"</li> </ul>	



**THROUGH WALL FLANGED FOR LINER**



		<b>Rabat Group</b>
	<b>For liner pools</b>	
510027	<b>Through wall - R 1½" ext/int - lenght 10 cm</b>	G
510028	<b>Through wall - R 1½" ext/int - lenght 25 cm</b>	G
510029	<b>Through wall - R 2" ext/int - lenght 10 cm</b>	G
510030	<b>Through wall - R 2" ext/int - lenght 25 cm</b>	G
510031	<b>Through wall - R 3" ext/int - lenght 10 cm</b>	G
510032	<b>Through wall - R 3" ext/int - lenght 40 cm</b>	G
510048	<b>Through wall - R 4" ext/int - lenght 10 cm</b>	G
510049	<b>Through wall - R 4" ext/int - lenght 40 cm</b>	G

**CHANNEL DRAINS FOR POOL LEVEL**





- Polished finish





		<b>Rabat Group</b>
510039	<b>Channel drains for pool level 63/75 - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Complete with hook for fixing</li> <li>■ Fixed to pipe Ø63/75 mm</li> <li>■ Dimension: Ø108, h 70 mm</li> </ul>	
510040	<b>Channel drains for pool level 90/110 - for concrete pool</b>	G
	<ul style="list-style-type: none"> <li>■ Made of stainless steel AISI 316 L V4 A</li> <li>■ Complete with hook for fixing</li> <li>■ Fixed to pipe Ø90/110 mm</li> <li>■ Dimension: Ø130, h 80 mm</li> </ul>	

## WALL FITTINGS OF BRONZE




### SKIMMERS

			<b>Rabat Group</b>
	1000020	<b>SKIMMER 160 mm with 2-way valve</b> <ul style="list-style-type: none"> <li>■ With 2-way valve</li> <li>■ Made of bronze</li> <li>■ Rectangular cover made of stainless steel</li> <li>■ Connection thread: G2" internal</li> <li>■ Depth: 160 mm</li> <li>■ Dimensions: height 402 mm, width 300 mm</li> <li>■ Mounting in all kind of pool</li> </ul>	G
	1010020	<b>SKIMMER 160 mm</b> <ul style="list-style-type: none"> <li>■ Made of bronze</li> <li>■ Rectangular cover made of stainless steel</li> <li>■ Connection thread: G2" internal</li> <li>■ Depth: 160 mm</li> <li>■ Dimensions: height 402 mm, width 300 mm</li> <li>■ Mounting in all kind of pool</li> </ul>	G
	1252020	<b>SKIMMER 240 mm with 2-way valve</b> <ul style="list-style-type: none"> <li>■ With 2-way valve</li> <li>■ Made of bronze</li> <li>■ Rectangular cover made of stainless steel</li> <li>■ Connection thread: G2" internal</li> <li>■ Depth: 160 mm</li> <li>■ Dimensions: height 402 mm, width 300 mm</li> <li>■ Mounting in all kind of pool</li> </ul>	G
	1262020	<b>SKIMMER 240 mm</b> <ul style="list-style-type: none"> <li>■ Made of bronze</li> <li>■ Rectangular cover made of stainless steel</li> <li>■ Connection thread: G2" internal</li> <li>■ Depth: 160 mm</li> <li>■ Dimensions: height 402 mm, width 300 mm</li> <li>■ Mounting in all kind of pool</li> </ul>	G

### ACCESSORIES FOR SKIMMERS

			<b>Rabat Group</b>
	1052020	<b>Flange kits for liner pools 2 part</b>	G
	1062020	<b>Blind frame for tile pools</b>	G
	1020050	<b>Extensions made of gun metal complete with gasket and screws Length 50 mm</b>	G
	1030050	<b>Extensions made of gun metal complete with gasket and screws Length 100 mm</b>	G
	1040050	<b>Extensions made of gun metal complete with gasket and screws Length 300 mm</b>	G
	1045050	<b>Extensions made of gun metal complete with gasket + screws</b>	G
	1046050	<b>Flange kits for extension with 350 mm wide suction side</b>	G
	1045520	<b>Blind frame for extension with 350 mm wide suction side</b>	G


**LEVEL REGULATOR**

			<b>Rabat Group</b>
	1601020	<b>Mechanical water level controller</b> <ul style="list-style-type: none"> <li>■ Made of bronze</li> <li>■ Cover made of stainless steel V4 A</li> <li>■ Mounting depth 140 mm</li> <li>■ In connection with skimmer 1000020 and 1010020</li> <li>■ Internal thread G2 for angling or screwing in an inlet shell</li> </ul>	G
	1620020	<b>Mechanical water level controller</b> <ul style="list-style-type: none"> <li>■ Made of bronze</li> <li>■ Cover made of stainless steel V4 A</li> <li>■ In connection with skimmer 1252020 and 1262020</li> </ul>	G
	1702050	<b>Electronic water level</b> <ul style="list-style-type: none"> <li>■ With solenoid valve 1/2" for mounting into skimmer 1252020 and 1262020</li> </ul>	G

**BOTTOM DRAINS FOR ALL KINDS OF POOL**

			<b>Rabat Group</b>
	2005020	<b>Bottom drain 2" - bottom outlet</b> <ul style="list-style-type: none"> <li>■ Made of bronze</li> <li>■ Bottom outlet G 2" int.</li> <li>■ Diameter: Ø 168 mm</li> <li>■ Anti-vortex-cover made of stainless steel V4 A</li> </ul>	G
	2015020	<b>Bottom drain 2" - side outlet</b> <ul style="list-style-type: none"> <li>■ Made of bronze</li> <li>■ Side outlet 90° G 2" int.</li> <li>■ Diameter: Ø 168 mm</li> <li>■ Anti-vortex-cover made of stainless steel V4 A</li> </ul>	G
	2030050	<b>Flange for liner pools</b>	G

**GUTTER DRAIN**

			<b>Rabat Group</b>
	2200020	<b>Gutter drain 100 x 60 mm</b>	G
	2210020	<b>Gutter drain 160 x 60 mm</b> <ul style="list-style-type: none"> <li>■ Made of gunmetal</li> <li>■ Cover made of stainless steel V4 A</li> <li>■ Bottom outlet G 2" int.</li> </ul>	G

## THROUGH WALL



### For liner and concrete pools

3021050 **Through wall - lenght 24 cm  
G 2" int. x G 1½" int.**

**Rabat  
Group**

G

3001050 **Through wall - lenght 24 cm  
G 2" int. x G 2" int.**

G

- Made of bronze
- Length: 240 mm



### For concrete pools

3040050 **Through wall - lenght 24 cm  
G 1½" int. x G 1½" int.**

G

3050050 **Through wall - lenght 10 cm  
G 2" int. x G 2" int.**

G

- Made of bronze

## INLET NOZZLES



### For concrete pools

3100420 **Inlet nozzle - G 1½" ext. , lenght 40 mm**

**Rabat  
Group**

G

3100720 **Inlet nozzle - G 1½" ext. , lenght 70 mm**

G

3101420 **Inlet nozzle - G 2" ext. , lenght 40 mm**

G

3101720 **Inlet nozzle - G 2" ext. , lenght 70 mm**

G

- Made of bronze
- With cover and ball Ø 18 mm made of stainless steel V4 A
- Diameter: Ø100 mm



### For liner pools

3103420 **Inlet nozzle - G 1½" ext. , lenght 40 mm**

G

3104420 **Inlet nozzle - G 2" ext. , lenght 40 mm**

G

- Made of bronze
- With cover and ball Ø 18 mm made of stainless steel V4 A
- Diameter: Ø100 mm

## INLET FITTINGS



### For concrete pools

3780420 **Inlet fitting - G 1½" ext. , lenght 40 mm**

**Rabat  
Group**

G

3780720 **Inlet fitting - G 1½" ext. , lenght 70 mm**

G

3782420 **Inlet fitting - G 2" ext. , lenght 40 mm**

G

3782720 **Inlet fitting - G 2" ext. , lenght 70 mm**

G

- Made of bronze
- With cover made of stainless steel V4 A
- Diameter: Ø100 mm



3800000 **Inlet fitting NiSn - G 2" ext. , lenght 40 mm**

G

- Made of bronze
- With covering NiSn
- Diameter: Ø100 mm

**INLET FITTINGS**



**For liner pools**

3786020 **Inlet fitting - G 1½" ext. , lenght 40 mm**

3787020 **Inlet fitting - G 2" ext. , lenght 40 mm**

- Made of bronze
- With cover made of stainless steel V4 A
- Diameter: Ø100 mm

**Rabat Group**

G

G

**BOTTOM INLETS FITTINGS**



3860020 **Bottom inlets adjustable- G 1½" ext.**

3864020 **Bottom inlets adjustable- G 2" ext.**

3862050 **Flange for liner pools**  
with gasket and screws

- Made of bronze
- Quantity regulable and lockable
- With cover made of stainless steel V4 A

**Rabat Group**

G

G

G

**SUCTION FITTINGS**



**For concrete pools**

3915020 **Suction fitting - G 2" ext. , lenght 40 mm**

3916020 **Suction fitting - G 2" ext. , lenght 70 mm**

- Made of bronze
- Diameter: outside Ø98 mm, inside Ø51 mm
- With cover made of stainless steel V4 A

**Rabat Group**

G

G



**For liner pools**

3945020 **Suction fitting - G 2" ext. , lenght 40 mm**

- Made of bronze
- Diameter: outside Ø98 mm, inside Ø51 mm
- With cover made of stainless steel V4 A
- With flange for liner pool

G

**ACCESSORIES FOR SUCTION NOZZLES**



3920000 **Hose suction nozzle**

- Made of NiSn
- With O-Ring 40 x 5
- Diameter: Ø50 mm - NW 38

**Rabat Group**

G



3930000 **Plug-in socket stopple**

- Made of NiSn
- With O-Ring 40 x 5
- Diameter: Ø50 mm - NW 38

G



## UNDERWATER PROJECTOR 300 W

		<b>Rabat Group</b>
	4100050 <b>Niche for concrete and liner pool</b> <ul style="list-style-type: none"> <li>■ Made of gunmetal</li> <li>■ With hose for cable</li> </ul>	G
	4060050 <b>Flange for liner pools to niche 4100050</b> <ul style="list-style-type: none"> <li>■ Made of gunmetal</li> </ul>	G
	4130020 <b>Underwater light with lamp PAR 56 - 300 W</b> <ul style="list-style-type: none"> <li>■ Cover made of polished stainless steel V4 A</li> <li>■ Parabolic PAR56 lamp 300W / 12V</li> <li>■ Max. diameter: Ø270 mm</li> <li>■ Cable length 2,5 m (2x6 mm<sup>2</sup>)</li> </ul>	G
	4130090 <b>Underwater light with lamp PAR 56 - 300 W</b> <ul style="list-style-type: none"> <li>■ Cover made of white ABS</li> <li>■ Parabolic PAR56 lamp 300W / 12V</li> <li>■ Max. diameter: Ø270 mm</li> <li>■ Cable length 2,5 m (2x6 mm<sup>2</sup>)</li> </ul>	G
	4010020 <b>Connection box</b> <ul style="list-style-type: none"> <li>■ Made of gunmetal</li> <li>■ Cover made of stainless steel V4 A</li> <li>■ Connection: M25 x 1,5</li> </ul>	G

## SMALL UNDERWATER PROJECTOR

		<b>Rabat Group</b>
	4250050 <b>Niche for concrete and liner pool</b> <ul style="list-style-type: none"> <li>■ Made of gunmetal</li> <li>■ With hose for cable</li> </ul>	G
	4251050 <b>Flange for liner pools to niche 4250050</b> <ul style="list-style-type: none"> <li>■ Made of gunmetal</li> </ul>	G
	4240020 <b>Halogen underwater light 50 W</b> <ul style="list-style-type: none"> <li>■ Cover made of polished stainless steel V4 A</li> <li>■ Halogen lamp 50W / 12V</li> <li>■ Max. diameter: Ø110 mm</li> <li>■ Cable length 2,5 m (2x1,5 mm<sup>2</sup>)</li> </ul>	G
	4231000 <b>Mini-halogen underwater light 20 W</b> <ul style="list-style-type: none"> <li>■ Cover made of NiSn</li> <li>■ Halogen lamp 20W / 12V</li> <li>■ Max. diameter: Ø85 mm</li> <li>■ Cable length 2,5 m (2x1,5 mm<sup>2</sup>)</li> </ul>	G

**POWER LED - BIG 12x3 W**



4100050 **Niche for concrete and liner pool**

- Made of gunmetal
- With hose for cable

**Rabat Group**

G

4060050 **Flange for liner pools to niche 4100050**

- Made of gunmetal

G



4147020 **POWER - LED - 12x3 W - WHITE**

G

4148020 **POWER - LED - 12x3 W - BLUE**

G

- White or blue colour
- Cable lenght 5 m (2x1,5 mm<sup>2</sup>)
- LED light 12x 3W / 12V
- Max. diameter: Ø270 mm
- Cover made of polished stainless steel V4 A

4149020 **POWER - LED - 12x3 W - RGB**

G

- Changed colour
- Cable lenght 5 m (4x1,5 mm<sup>2</sup>)
- LED light 12x 3W / 12V
- Max. diameter: Ø270 mm
- Cover made of polished stainless steel V4 A

**POWER LED - BIG 24x3 W**



4400020 **Niche for concrete, liner and stainless s. pool cable outlet side**

**Rabat Group**

G

4400120 **Niche for concrete, liner and stainless s. pool cable outlet bottom**

G

- Made of stainless steel V4 A
- With hose for cable



4380020 **POWER - LED - 24x3 W - WHITE**

G

4380120 **POWER - LED - 24x3 W - BLUE**

G

4380320 **POWER - LED - 24x3 W - WARM WHITE 3000 K**

G

4380420 **POWER - LED - 24x3 W - COLD WHITE 4500 K**

G

- White or blue colour
- Cable lenght 5 m (2x1,5 mm<sup>2</sup>)
- LED light 24x 3W / 12V
- Max. diameter: Ø270 mm
- Cover made of polished stainless steel V4 A

4380220 **POWER - LED - 24x3 W - RGB**

G

- Changed colour
- Cable lenght 5 m (4x1,5 mm<sup>2</sup>)
- LED light 12x 3W / 12V
- Max. diameter: Ø270 mm
- Cover made of polished stainless steel V4 A

## POWER LED - MEDIUM



		Rabat Group
4266050	<b>Niche for concrete and liner pool</b> <ul style="list-style-type: none"> <li>Made of gunmetal</li> </ul>	G
4267050	<b>Flange for liner pools to niche 4266050</b>	G
4269520	<b>POWER - LED - 12x3 W - WHITE</b>	G
4269620	<b>POWER - LED - 12x3 W - BLUE</b>	G
4269720	<b>POWER - LED - 12x3 W - WARM WHITE</b>	G
4269820	<b>POWER - LED - 12x3 W - COLD WHITE</b>	G
4269920	<b>POWER - LED - 12x3 W - RGB</b> <ul style="list-style-type: none"> <li>Cable lenght 5 m (2x1,5 mm<sup>2</sup> - RGB 4x1,5 mm<sup>2</sup>)</li> <li>LED light 12x 3W / 12V</li> <li>Max. diameter: Ø146 mm</li> <li>Cover made of polished stainless steel V4 A</li> </ul>	G

## POWER LED - SMALL



		Rabat Group
4250050	<b>Niche for concrete and liner pool</b> <ul style="list-style-type: none"> <li>Made of gunmetal</li> <li>With hose for cable</li> </ul>	G
4251050	<b>Flange for liner pools to niche 4266050</b> <ul style="list-style-type: none"> <li>Made of gunmetal</li> </ul>	G
4320020	<b>POWER - LED - 4x3 W - WHITE, 12° angle</b>	G
4320120	<b>POWER - LED - 4x3 W - WHITE, 30° angle</b>	G
4320220	<b>POWER - LED - 4x3 W - WHITE, 50° angle</b> <ul style="list-style-type: none"> <li>Cable lenght 2 m (2x1 mm<sup>2</sup>)</li> <li>LED light 4x 3W / 12V</li> <li>Max. diameter: Ø110 mm</li> <li>Cover made of stainless steel V4 A</li> <li>For niche 4250050</li> </ul>	G
4320000	<b>POWER - LED - 4x3 W - WHITE, 12° angle</b>	G
4320500	<b>POWER - LED - 4x3 W - BLUE, 30° angle</b>	G
4320700	<b>POWER - LED - 4x3 W - RGB, 30° angle</b> <ul style="list-style-type: none"> <li>Cable lenght 2 m (2x1 mm<sup>2</sup> - RGB 4x1 mm<sup>2</sup>)</li> <li>LED light 4x 3W / 12V</li> <li>Max. diameter: Ø71 mm</li> <li>Cover made of NiSn</li> <li>Counter nut G1½"</li> </ul>	G

## TRANSFORMERS AND CONTROL UNITS



4330050	<b>Main appliance for 4 Power-LED</b> 4 x 3 W, monochrom	G
4330250	<b>Main appliance for 4 Power-LED</b> 4 x 3 W, RGB	G
4380050	<b>Main appliances for</b> DC 1 Power-LED inset 24 x 3 W, 12 V DC white and blue or 2 Power-LED inset 12 x 3 W, 12 V DC white and blue or 8 Power-LED inset 4 x 3 W, 12 V monochrom	G
4330250	<b>Main appliances for 4 Power-LED 4x3W, RGB</b>	G